Hospital & Homecare

Hospital & Home Care I/E. Co.,Ltd.

Catalogue: 9



Operation table

Loading stretcher





Hospital bed



Multifunction obstetric operation table

Stretcher









CONTENTS

Operation table series

Multifunction obstetric operation table series

Gynaecological examination bed series

Hospital bed Series

Loading stretcher series

Emergency bed series

Stretcher series

Massage table series

Medical trolley series

Instrument cabinet series

Dental treat series

ELECTRIC OPERATION TABLE SERIES

MP1 ELECTRIC OPERATION TABLE
The table is equipped with microcomputer controller and safety lock key protecting from misoperation.
Adjusted manupulablly to the enough low place (the lowest height 550mm)so that doctor can sit to operate cerebral surgery ophthalmology.
The table can be moved longitudinally more than 300mm so that C arm X-ray can rotate freely to work, and X-ray can make radiography vertically without dead angles.
The table is divided into five section :head board, shoulder board, back board, seat board and leg board.
The table is made of penetrated X-ray material, There is cassette guide rail under the table which make radiography.
Equipped with shoulder-back composited bending button on the table, which will be convenient for kidney surgery and gallbladder surgery.
The table is fixd a button which can control the electric wheel to draw in and put out so that ehe table can be pulled easily.
Accessories and guide rail are made of stainless steel.
The main accessory hydraulic pump and electromagnetic valve are made of imported component form Taiwan.
Base shell is made of aluminum alloy and supporting base in made of stainless steel.
The head board and leg board is adopted special gas-spring from Germany, it is convenient to operate.
Length and width of table: 2100x550mm
Max.&Min.height of table 850x550mm
Max. degree of forward and backward tilting of table: forward≥20°,backward≥20°
Max. degree of left and right tilting of table: left≥15°,right≥15°
Longitudinal shift of table board: ≥300mm
Max. degree of leg rest adjustment: down 90°
Max. degree of back rest adjustment: up≥75°,down≥15°
Power: 220v,50hz,200w
Range of head rest adjustment: up≥35°,down≥90°

surgery frame for head


www.aline-medical.com

right manipulation



www.aline-medical.com
www.aline-medical.com
www.aline-medical.com

MP1

MP2 ELECTRIC OPERATION TABLE
The mattress is made of foam polyurethane, acid and alkali resistance, high temperature resistance and easy clean.
The double-layer tabletop is suit for X-ray examination when you operate. The leg board can be abducted 180°,folded 90°and detached.
The wheel adjustment, table height adjustment, forward and backward tilting left and right tilting, back board folded are all controlled by linear motor. It's convenient and safe.
Accessories, guide rail, base shell and column shell all are made of stainless steel. The table is equipped auto-charge device; It can keep the table being used when emergency power shuts off.
Length : 2050mm
Width: 480mm
Leftward & Rightward: ±20°
Forward & Backward: ±25°
Head rest adjustment angle: up 80°,down 80°
Leg rest adjustment angle: 0°- 90°
Leg rest expanding angle: 0°- 180°
Back rest adjustment angle: up 80°,down 15°
Height: 700-950mm
Max table lifting: 250mm
Waist rest lifting: 120mm
Power: AC 220v,50hz

translation type


www.aline-medical.com


www.aline-medical.com
www.aline-medical.com

MP2



MP3



translation type




optional forked leg plate

MP3 MULTI-PURPOSE OPERATION TABLE
The controller device lock key protecting from misoperation.
The table is made of penetrated X-ray material, There is cassette guide rail under the table which make radiography.
The table is fixed a button which can control the electric wheel to draw in and put out so that the table can be pulled easily.
Accessories and guide rail are made of stainless steel, polyurethane etc material.
The main accessory hydraulic pump and electromagnetic valve are made of imported component form Taiwan.
The head board and leg board are adopted special imported gas-spring form Germany. It is convenient to operate.
Length and width of table: 1960x480mm
Max.&Min.height of table 930x690mm
Max. degree of forward and backward tilting of table: forward≥25°,backward≥20°
Max. degree of left and right tilting of table: left≥18°,right≥18°
Range of leg rest adjustment: down≥90° detachable
Range of back rest adjustment: up≥75°,down≥10°
Range of head rest adjustment: up≥45°,down≥50°detachable
Elevating height of kidney bridge: ≥80mm




MP4a



MP4b

MP4a/MP4b ELECTRIC OPERATING TABLE
Electric operating table is designed for all operations in hospitals.Besides all functions of the domesic products,it has its own advantages:
1.Leg section can be rotated,opened,disassmbled and adjusted easily.It is most adapt to the urological operation.
2.The table top,made of highstrength plastic,can move backwards and forwards.X-ray examination can be carried out on it.
3.With 24V direct supply,the table is safe and reliable.The table'selevation,lowering,reversed trendelenburg;trendelenburg,lateral tilt are all automatically controlled by the Button.
4.This table can be configured with different kinds of table tops for different use.
5.The ascending and descending movements,lateral tilt movements,reversed trendelenburg,trendelenburg movements ;and backward and forward movements of the table top are all electrical operated.
Electric operating table is one of the most advaced operating table with excellent functions in China.Availabe for the Model C arm.
The back section and the leg section of Model MP4b is equiped with the barometric pressure spring.Anti-static Senior PY foam material is optional for mattress.
The ascending and descending movements,lateral tilt movements,reversed trendelenburg,trendelenburg movements,backward and forward movements and up-and-down of kidney section of model MP4b are all electrically operated.
MP4a model:Length:2100mm,Width:480mm,Max Height:1000mm,Min Height:750mm
MP4b model:Length:2100mm,Width:500mm,Max Height:1000mm,Min Height:750mm



MP5a



MP5b

ELECTRIC OPERATING TABLE

This bed is designed for surgical procedures of head,neck,thorax and abdomen,perineum extremities as well as for gynaeclolgical,oto-rhino-laryngological and orthopaedics operation.The table top,made of double-decker plastic. So that X-ray examination can be avaliable during operation.It's raising,lowing,lateraltilt,reversed trendelenburg and trendelenburg movement,back section bending are all controlled by electrically.It can adjust easily,And its performance is also reliable.Anti-static senior PY foam material is optional for mattress.

MP5a:Length:2100mm,Width:480mm,Max Height:1000mm,Min Height:750mm

ELECTRIC OPERATING TABLE

Electric operating table is used in all the operations like head,neck ,chest,abdomen,perineum ,limbs and other surgeries,obstetrics and gynecology,urology,ENT,neurosurgery and so on.Adjustable height,trendelenburg and reversed trendelenburg,tilt,folding movement of back section and leg section,up-and-down of kidney section are controlled by electric circuit.Mattress is made of anti-static senior PY foam materials.

MP5b:Length:1980mm,Width:500mm,Min Height:620mm



MP6a



back section

MP6b

MP6 ELECTRIC OPERATION TABLE

Electric operation table makes contribution to the surgeries of chest, abdomen, ophthalmology, otolaryngology, gynecology, obstetrics and urology, etc .It has the following advantages:

1.The board can shift longitudinally. It is made of plastic plate with good-quality and it can be used with C-ARM to match X-ray or take photos.

2.The leg board is dismantable. It can be adjusted by hand to lean from left to right and move up and down, convenient for urology operation.

3.The manipulator used with 24V DC is easy to operate, safe and reliable.

4.The board is controlled by pressing buttons and electric handspike to move up and down ,lean from left to right and move back and forth.

Overall length:2100mm,Width of table top:480mm,Height adjustment: 750-1000mm,Trendelenburg: 25°,Reverse trendelenburg: 25°,Lateral adjustment:±20°,Longitudinal displacement:300mm,Head rest:45/-90°,Waist bridge:100mm,Leg plate:90°,Swiveling of leg plate:90°,Foot board

Accessories: anesthetics screen, shoulder rest, arm support, body support, knee crutch, cushion



MP7

MP7 ELECTRIC OPERATION TABLE

The product is used for the surgeries of head, neck, chest, abdomen, perineum, limbs, obstetrics, ophthalmology, otolaryngology and orthopedics, etc, It has double plastic boards and it can be X-rayed. The dismantable leg board could be outreached by 90°,suitable for uroglogy surgery. The board floor can move up and down, lean from left to right and move

Up and down, lean from left to right and move back and forth. The back section can be folded and turned. All these motions are motivated by electric equipment, flexible, safe and reliable.

Technical Data:

Overall length:2100mm,Width of table top:480mm,Height adjustment: 750-1000mm,Trendelenburg: 25°,Reverse trendelenburg: 25°,Lateral adjustment:±20°,Head rest:45/-90°,Back section: 45/-15°,Waist bridge:100mm,Leg plate:90°,Swiveling of leg plate:90°,Foot board

Accessories: anesthetics screen, shoulder rest, arm support, body support, knee crutch, cushion



MP8

MP8 ELECTRICAL OPERATIONTABLE

This is a high-grade synthesizes multi-functional operating table.Is the introduction overseas advanced technology. Which can be Applied to all kinds of operations,The operation is extremely convenient,It can do the C shape arm, X-ray examination and photography on the Whole body.Also the head part and the leg part of the table can exchange.

It adopts hydraulidc engine imported from Germany as the driving force.

It has the function of auto-restorarion,and adopts Germany CONTELEC sensor.

It has hand-control and panel-control which work respectively,adopts MCU process,and its self-lock can avoid error-touch

Its engine uses DC24V,which increases the security of electric.AC and DC can use at the same time.

Accessories:Shoulder support frame, Waist support frame. Arm resting frame. Leg support frame. Pedal foot board

Length:2000±50mm,Width:500±20mm

Maximum and minimum height of the platform:
(740~1100) ±50mm

Forward:≥25°,Backward:≥15°,Leftward:≥15°

Head board fold upward:≥25°

Head board fold downward:≥25°

Seat board fold upward:≥70°

Seat board fold downward:≥45°

Leg board fold downward:≥15°

Leg board fold outward:≥60°

Foot board fold downward:≥75°

Foot board fold outward:≥180°

Mains voltage :AC 220V±10% 50Hz

Accumulator Cell:12v 12Ah

Input power:500VA



Import ring | Import Electro-magnetic valve | Dual controllers | German im-ports of motor | Import Sensor



MP9a



Import ring | Import Electro-magnetic valve | Imports motor

MP9 ELECTRICAL OPERATIONTABLE

This is a multi-functional operating table and can be adjusted to very low position,which meets the requirements for not only various Surgical operation but also X-ray examination and photography of different parts of human body. Small-sized touch controller ensures precise and reliable adjustment of different positions.

The exterior surface being made of stainless steel,the table gives a beautiful appearance and is corrosion resistant, It is an ideal choice for surgical operations,The table adopts electric-hydraulic control,and has small-sized touch controller for flexible operation. It adopts famous brand engine hydraulic pump and electromagnetism valve which are imported from Japan,It makes low level of noise and it is reliable in performance

Accessories: Shoulder support frame Waist support frame. Arm resting frame. Leg support frame. Pedal foot board

Note: Type of MP9a. the leg board are separated and discharge-able , the waist board can be lifited

Type of MP9b , electrical control for leg board folding up and down, the waist board can be lifited

Length:2000±50mm,Width:480±20mm

Maximum and minimum height of the platform:(550~850) ±50mm

Forward:≥25°,Backward:≥15°,Leftward:≥15°,Rightward:≥15°

Leg board fold downward:≥90°,Leg board fold outward:≥90°
(MP9a type foldable)

Backboard fold upward:≥75°

Backboard fold downward:≥20°

Head board fold upward:≥30°

Head board fold downward:≥90°

Waist board lifting:120mm

Mains voltage :AC 220V±10% 50Hz

Input power:500VA



MP9b



MP10

MP10 ELECTRICAL OPERATION TABLE
This is widely used in various surgical operations. With the delicately designed eccentric column, the table is especially fit for X-ray pho- tography in surgical operation . The shell of the complete device is made from stainless steel . It is corrosion resistant, can be easily cleaned, and gives a beautiful appearance.
The table adopts electric-hydraulic control and it has small-sized touch controller for flexible operation, it adopts famous brand engine hydraulic pump and electromagnetism valve which are imported from Japan. Lt makes low level of noise and is reliable in performance
Length:2000±50mm
Width:520±20mm
Maximum and minimum height of the platform:
(750~950) ±50mm
Forward:≥20°
Backward:≥35°
Leftward:≥20°
Leg board fold downward:≥90°
Backboard fold upward:≥70°
Backboard fold downward:≥25°
Head board fold upward:≥40°
Head board fold downward:≥90°
Waist board lifting:≥100mm
Mains voltage :AC 220V±10% 50Hz
Input power:600VA


Imports motor


Import Electromag- netic valve


Import ring


Accessories: Shoulder support frame, Waist support frame. Arm resting frame. Leg support frame. Pedal foot board



MP11

MP11 ELECTRICAL OPERATION TABLE
It meets the requirements for various surgical operations on brains,eyes,etc.
The table adopts micro touch controller,with which,the operating table can be adjusted according to requirements.The complete hydraulic control system adopts imported components,ensuring low noise level and safety and reliability in operation.The complete table can be moved back and forth.The table has AC/DC automatic shift and restoration.It can do C arm and X-ray photography and examination.
Accessoried:Shoulder support frame,Waist support frame,Arm resting frame,Leg support frame,ZScreen frame,Pedal foot board.
Length:2000±50mm
Width:500±20mm
Maximum and minimum height of the platform:
(750~1150) ±50mm
Forward:≥30°
Backward:≥30°
Leftward:≥20°
Horizontal and longitudinal movement:350mm
Leg board fold downward:≥90°
Leg board fold outward:≥90°
Backboard fold upward:≥70°
Backboard fold downward:≥45°
Head board fold upward:≥40°
Head board fold downward:≥90°
Waist board lifting:≥100mm
Mains voltage :AC 220V±10% 50Hz
Input power:400VA


Import ring


Imports motor


Import Electromag- netic valve



Imports motor



Accessories:Shoulder support frame,Waist support frame,Arm resting frame,Leg support-frame,Screen fame,Pedalfoot board

MP12 ELECTRICAL OPERATION TABLE

It is a multi-functional operation table,which not only meets the requirements of various surgical operations but also can conduct C arm and X-ray examination and photography on different parts of the body.The foundation uses the high quality stainless steel,the floor uses the high quality carbon to model the board,is advantageous for the clean,the disinfection.The floor is capable of moving back and forth for 400mm.Imported electric machine pumps are adopted for the operation tables.THis operation table adopts as the driving force of all movements,manipulating through the hand-controller.It is characterized by flexible,reliable,non-pollution and long usage time

Length:2000±50mm
Width:480±20mm
Maximum and minimum height of the platform:
(750~950) ±50mm
Horizontal and longitudinal movement: ≥400mm
Waist board lifting:≥100mm
Mains voltage :AC 220V±10% 50Hz
Forward:≥30°
Backward:≥25°
Leftward:≥15°
Backboard fold upward:≥50°
Head board fold upward:≥45°
Head board fold downward:≥90°
Leg board fold downward:≥90°
Leg board fold outward:≥90°
Input power:≤150VA



MP13 ELECTRICAL OPERATION TABLE

It is a multi-functional operating table,which not only meets the requirements of various surgical operations but also can conduct X-ray examination and photography on different parts of the body.The base is made of stainless steel and the table board is made of carbon board,so they are easy to clean and sterilize.The operating table imported electric machine pumps are adopted for the operatin tables.This operatin table adopts as the driving force of all movements,manipulating through the hand-controller.It is characterized by flexible,reliable,non-pollution and long usage time.

Length:2000±50mm,Width:480±20mm
Maximum and minimum height of the platform:(750~950) ±50mm
Forward:≥25°,Backward:≥35°,Leftward:≥20°
Leg board fold downward:≥90°
Backboard fold upward:≥45°,Backboard fold downward:≥20°
Head board fold upward:≥40°,Head board fold downward:≥90°
Waist board lifting:≥100mm
Mains voltage :AC 220V±10% 50Hz
Input power:≤150VA




Imports motor

MP14 ELECTRICAL OPERATION TABLE

It is of the integrated multi-function type,which meets the demands of all kinds of operation.It can also be used for conduction X-ray examination and photography.The base is made of high-quality stainless steel,while the table-board is made of High-quality carbon plastic plate,which is easy to clean and sterilizing.The operating table imported electric machine pumps are adopted for the operation tables.This operation table adopts as the driving force of all movements,manipulating through the hand-controller.It is characterized by flexible,reliable,non-pollution and long usage time.

Length:2000±50mm,Width:500±20mm
Maximum and minimum height of the platform:
(750~1000) ±50mm
Forward:≥25°
Backward:≥35°
Leftward:≥15°
Head board fold upward:≥40°
Head board fold downward:≥90°
Waist board lifting:≥100mm
Leg board fold downward:≥90°
Leg board fold outward:≥90°
Backboard fold upward:≥45°
Backboard fold downward:≥20°
Mains voltage :AC 220V±10% 50Hz
Input power:300VA



MP15



Imports motor



Import Electromagnetic valve



Import ring

MP15 ELECTRIC OPERATION TABLE ON EYES
It is a kind of ophthalmic equipment which is designed and developed for the special requirement of operation,.The up and down movement of the table board adoopts the electric and hydraulic cylinder working principle.The operating table also possesses the Ultra-low -position design and its motors and electromagnetic valves are all imported,it works smoothly,noise free with high reliability.Thead board is matched with Manually adjustable up and down mechanisms,which can be folded upward and downward,thus providing the best point view of the operation.
Annex:a pair of arm supporter and Bladder supporter forthe patients
Length:1970±50mm
Width:600±20mm
Height: 550±30mm
A high degree of surface conditioning: ≥250mm
Forward:≥15°
Backward:≥15°
Head board fold upward:≥20°
Head board fold downward:≥40°
Head plate vertical fluctuation:+50mm-30mm
Annex: a pair of arm supporter and bladder supporter for the patients

UNIVERSAL OPERATION TABLE SERIES



MP16a

MP16 HEAD OPERATING UNIVERASL TABLE
The operating table is supplied for thoracic surgery, abdominal surgery, ophthalmology, otorhinolaryngology, obstertrics and gynecology, urinary surgery and orthopeadics.
The rise and drop of operating table was handled by pedaling the oil pump, other various movenments were handled by the mechanical transmission head.
Length and width of table: 2100x480mm
Max.&Min.height of table 1040x800mm
Max. degree of forward and backward tilting of table: forward≥55°,backward≥35°
Max. degree of left and right tilting of table: left≥25°,right≥25°
Range of back rest adjustment: up≥85°,down≥10°
Waist rest elevation: 120mm
Leg rest adjustment: down≥90°
Oil pump travel: 240mm
Head rest:275x310mm, it can be folded for 90 degree, elongated or unloaded.



MP16b



MP16c

Base shell made of stainless steel
Additional film-frame, electric lifting base made of stainless steel.
Base, shell and bed surface made of stainless steel, Additional film-frame

Fored leg plate.



MP17

MP17 LUXURY MULTIFUNCTIONAL OPERATING TABLE

The bedstead, accessories, guide rail, base shell and column shell all are made of stainless steel, and antistatic finish as well.

Back board and leg board are controlled by imported gas spring from Germany.

The mattress is made of foam polyurethane, it has many advantages such as easy clean, acid and alkali resistance, high-temperature resistance.

Length and width of table: 2000x480mm

Max.&Min.height of table 890x650mm

Max. degree of forward and backward tilting of table: forward≥28°,backward≥28°

Max. degree of left and right tilting of table: left≥20°,right≥20°

Range of leg rest adjustment: down≥90°

Range of back rest adjustment: up≥75°,down≥10°

Elevating height of kidney bridge:≥100mm

Oil pump travel: 240mm

Waist rest elevation: 100mm



MP18a

MP18a/MP18b HEAD OPERATION TABLE

Intended for surgical operations on head,neck,peuroperitoneal cavity,perineum,limbs,ect.in hospitals.Oil pump provides hydraulic elevation,imported hermetic ring;operating table controlled on the two sides to achieve the required position;C boasts double beds;legs can be separated for filming;leg board dischargeable;traction frame can be used to conduct bone surgery.

Accessories:Shoulder support frame,Waist support frame,Arm resting frame,Leg support frame,Screen frame,A pair of pedal plates(other accessories are available for selection)

Note:

MP28a: adopts double beds,parting style ang stainless steel.

MP28b: the base seat of the bed is made of stainless steel.

Length:2050±50mm,Width:480±20mm

Maximum and minimum height of the platform:(750~950) ±50mm

Forward:≥30°

Backward:≥25°

Leftward:≥20°

Head board fold upward:≥30°

Head board fold downward:≥90°

Backboard fold upward:≥80°

Backboard fold downward:≥10°

Leg board fold downward:≥90°

Waist board outpread:≥90°(dischargeable)

Waist board lifting:≥120mm



MP18b



MP19

MP19 UNIVERSAL OPERATION TABLE

It is an ideal surgery equipment for ophthalmology. The pedal hydraulic system controls the up and down motion while the lead screw controls the height of the head board. It is easy to manipulate , stable and reliable.

This table is outstanding for low height, especially suitable for micro ophthalmology surgery. The arm supporter is convenient to adjust the hand's centric position to ensure the stability during the process. The material of the board and shield could be chosen between cold-rolling carbonsteel and stainless steel with good-quality according to the demands of our customers.

Technical Data:

Overall length:2100mm

Width of table top:480mm

Floor minimum altitude: 500mm

Traveling schedule:250mm

Head rest:100mm

Accessories: arm support, cushion



MP20a

Square base, pump shell made of stainless steel.



MP20b

Table,Square base, pump shell made of stainless steel.

MP20a/MP20b SIDE OPERATING UNIVERASL TABLE
The operating table is supplied for thoracic surgery, abdominal surgery, ophthalmology, otorhinolaryngology, obstertrics and gynecology, urinary surgery and orthopeadics.Lifting of this operating table is controlled by foot oil pump, and the rest of the movements are controlled by mechanical transmission side manipulation.
Length and width of table: 2100x480mm
Max.&Min.height of table 1045x800mm,Max. degree of forward and backward tilting of table: forward≥35°,backward≥20°
Max. degree of left and right tilting of table: left≥22°,right≥22°
Oil pump travel: 240mm,Head board:275x310mm, it can be folded for 90 degree, elongated or unloaded.,Back board:500x480mm, down≥22°, up≥75°
Kindney bridge(85x415mm) it can be increased up to 120mm or equal to the table surface.,Leg plate(500x480mm) down≥90°
Seat section(450x480mm)



MP21

MP21 SIDE OPERATING UNIVERASL TABLE
Length and width of table: 2100x480mm
Max.&Min.height of table 1040x800mm
Max. degree of forward and backward tilting of table: forward≥35°,backward≥20°
Max. degree of left and right tilting of table: left≥22°,right≥22°
Oil pump travel: 240mm
Head board:275x310mm, it can be folded for 90 degree, elongated or unloaded.
Back board:500x480mm, down≥22°, up≥75°
Kindney bridge(85x415mm) it can be increased up to 120mm or equal to the table surface.
Leg plate(500x480mm) down≥90°
Seat section(450x480mm) There is a round hole between seat rest and leg rest.

Square base, pump shell made of stainless steel.



MP22

MP22 MULTI-PURPOSE OPERATING TABLE,SIDE-CONTROLLED
This table is suitable for surgical procedures of the head,neck,thorax,abdomen,perineum and extremities as well as for gynaecological,otorhino-laryngological and orthopaedics operation.The table's elevation,lowering,reversed trendelenburg,trendelenburg,lateral tilt can be all automatically controlled.Leg section can be rotated,opened,disassembled and adjusted easily.It is most suitable for the urological operation.The table top made of high strength glass,can move backwards and forwards.X-ray examination can be carried out on it. It can be raised or lowered hydraulically by means of an oil pumpl.Various positions can be controlled from both sides.Chassis inside and outside covers are stainless steel.
Length:2100mm,Width:500mm,
Max Height:1040mm
Min Height:800mm,Adjust:≥240mm



MP23

MP23 SIDE-MANIPULATING OPERATION TABLE

This table is used for the surgeries of head, neck, abdomen, perineum, limbs, gynecology ,ophthalmology, otolaryngology and orthopedics ,etc. The up and down moving is contolled by hydraulic system. The adjustment is manipulated in the two sides of the board.

It has the following advantages:

1.Lead screw by hand contributes to longitudinal motion. It can be X-rayed,usdd with C-ARM

2.The adjustment of the back section and leg board is under the force of spring and gravity, flexible and convenient..

3.The leg board is dismantable. And it can be not only out-reached but also folded, convenient for urology surgery.

4.The material of the board and shield could be chosen between cold-rolled carbonsteel and stainless steel with good-quality according to the demands of our customer.



MP24

MP24 ORDINARY OPERATION TABLE

The operating table is supplied for head surgery, neck surgery, thoracic surgery, abdominal surgery, vulvar surgery and limbs surgery as well as obstertrics and gynecology, ophthalmology, otorhinolaryngology, and orthopeadics.

Length and width of table: 2000x480mm


Height adjustment table : ≤800mm,lifting height of table≥250mm

Leg rest: down≥90°

Back rest: up≥90°, down≥20°

Kindney bridge: lifting height≥ 120mm

Head rest; up≥45°, down≥90°



MP25a



MP25b

stainless steel

MP25a/MP25b ORDNARY OPERATING TABLE

This table is designed for surgical procedures of the head,neck,thorax and abdomen,and extremities as well as for gynaecological,Oto-rhino-laryngological and orthopaedics operations.It is characterized by versatility,easy operation,good quality and low price.Model B1s is stainless steel.

Length:1950mm,Width:480mm,Height:750mm



MP26a

MP26a/MP26b OPERATION TABLE
This table is suitable for surgical procedures of the head,neck ,thorax and abdomen,perineum and extremities as well as for gynaecological,otorhinolaryngological and orthopaedies operations.It is characterized by versatility,easy operation,practical,good and cheap.
Note:
MP29a:The base is metalized
MP29b:The cover of the base nof stainless steel.
Accessories:Shoulder support frame,Waist support frame,Arm resting frame,Leg support frame,Screen frame

Length:2100±50mm,Width:480±20mm
Maximum and minimum height of the platform:(800~1050) ±20mm
Back board fold upward:≥90°
Back board fold downward:≥20°
Head board fold upward:≥45°
Head board fold downward:≥90°
Leg board fold downward:≥90°
Waist board lifting:120mm



MP26b



MP27a



MP27b

MP27a/MP27b SPINAL SURGERY SUPPORTER
The spinal surgery supporter can be put on the operation table to burden the body an d adjust spinal flexion and extension are for patients. This product has two groups of curved cover to burden the chest , abdomen. The flexion and extension are is adjusted through manual crank. While the width of support cover, the back and forth distance and height of the head supporter are controlled by the bolt to meet the demands of the surgery.01 is ordinary spinal surgery supporter.02 is the spinal surgery supporter suitable for X-ray.



MP28a



MP28b




MP28c



MP28d

MP28a/MP28b/MP28c/MP28d SURGERY FRAME FOR HEAD
This frame is the unique equipment for brain surgery, ideal for neurosurgery. This type of equipment can flexibly adjust the up and down height, back and forth motio n, left to right leaning to search the best position for head and body ,convenient for operation and anesthesia to ensure the safety of the surgery.



MP29a



MP29b

MP29a/MP29b OPHTHALMOLOGY OPERATING TABLE
Ophthalmology operating table is a new product designed specially for ophthalmology operation,which meets the need of hospital clinical demands. This operating table can be lowered to 530mm,which is convenient for the doctors during the procedure of the surgery.The table is equipped with hand rest for decreasing physical fatigue of doctor.And,top of the table can be raised or lowered hydraulically by means of an oil pump.The apparatus of leading screws elevates head part.Its configuration is fresh,and it can be easily adjusted.Easy operation is one of its features.This table is ideal equipment for ophthalmology operation.
Length:1950mm,Width:550mm,Height:530-780mm,Distance of head section goiny upand down:100mm,Volume:140x76x86cm

MULTIFUNCTION OBSTETRIC OPERATION TABLE SERIES



MP30

MP30 MULTIFUNCTION OBSTETRIC TABLE
It is designed for gynecological inspection, diagnosis and operation, and is a special chair for delivery as well. The board width makes possible to accommodate both mother and newborn baby, so that a good nursing can b e guaranteed. The movement of this chair is controlled manually. The new imported gas spring controls positions of body table, so it is easy to operate, convenient and safe. Lifting of body table and foot wheels is conducted through a hydraou8lic system and transversal valve, which could lessen work intensity of medical staff. Adjustment of leg table is driven by mechanical gearing. It is equipped with a lot of accessories, so it is a mutli-functional obstetric table.
Length of body table and foot table:1150 x 850mm
Adjustment range of back section: up 0-42°, down 0-6°
Adjustment range of abdomen section: up 0-20°, down 0-8°
Max.degree of forward and back ward tilting of table: forward≥8°,backward≥22°
Lowest height of body bed:640-880mm
Size of table board: body table:1150x650mm,leg table: 850x600mm



MP31

MP31 MULTI-PURPOSE OBSTETRIC TABLE

It is designed for delivery, abortion and gynecological examination. It is characterized by easy operation, safety and reliability , economical use. It is composed of bed surface, bedstead and bed base. The surface includes back section, seat section and leg section. The up-down movement of back section and the forward and back tilt of bed surface are controlled by the operating hand wheel, which makes doctors and patients feel comfortable.

Technical Data:

Length and width of table:1800x600mm
Height adjustment range: 650-895mm
Back section: 600x800mm
Seat section:600x400mm
Leg section:540x500mm
Max.degree of back rest adjustment: up≥75°,down≥6°
Max.degree of forward and back ward tilting of table: forward≥10°,backward≥25°



MP32

MP32 ELECTRIC MULTIFUNCTION OBSTETRIC OPERATION TABLE

It is a kind of comprehensive operating table for delivery, gynecological surgery, diagnosis and examination. The table is equipped with mini-touch controllers to operate lifting, front and back inclining, upward and downward folding of back rest, and moving of base. It is easy to operate and convenient. It's key parts used imported electric machine with low noise and stable performance.

Adjustment of leg table is driven by mechanical gearing. It is equipped with a lot of accessories, so it is a mutli-functional obstetric table.

Length and width of table: main bed:1150 x 850mm,leg table:850x600mm
Max.& Min. height of tabletop:900x600mm
Max.degree of forward and back ward tilting of table: forward≥10°,backward≥25°
Max.degree of back rest adjustment: up≥75°,down≥15°
Power supply:220v,50hs,1.0kw



MP33a



MP33b

MP33a/MP33b ELECTRIC PARTURITION BED

It based on the need of market are made with overseas advanced technology.They are made for gynecology and obstetrics childbirth,gynecology operation,diagnosis and examination.And also can be used in caesarean operation.The heave,slant and replication are controlled by hydrostatic micro touch so that it can be used conveniently and flexibly.The key components of the hydrostatic system are imported which is stable and not noisy.It also has knockdown accessorial operating board.

Electric parturition bed MP33b Adjustable height,trendelnburg and Reversed trendelenburg and folding movement of back section are controlled by linear motor as the power system,which can be touched by micro-controller or foot pedal control.Easy to use and flexible.The outside cover,table-board,filth bowl are all made by stainless steel.The surface has an artistic look and is easy for clearing.

Length:1250mm,Width:600mm,Height:750-990mm



MP34a



MP34b

MP34a/MP34b ELECTRIC PARTURITION BED

It is newly designed in accordance with clinical examination and treatment of obstetrics and gynecology,suitable for examination of medical instruments of obstetrics and gynecology,urology and lens detetion,diagnosis in the hospitals.Bed disign is streamlined,adaptable to various positions of patients.

Electric adjustment to meet the overall tilt and height adjustment by controlling the trendelenburg and reversed trendelenburg.

MP34a:Mattress is made of polyurethane foam.Detachable,easily cleaning and sterilization.

Install colposcopy onto both sides of bed according to customer’s request.

Hidden built-in dirt pots under the bed,easy to deal with sewage and debris.

Low position to facilitate patient.

Bed cqan be moved or locked.

Length:1200mm,Width:600mm,Max Height:1200mm,Mix Height:500mm

MP34b:Hidden auxiliary units under the bed.

Install colposcopy onto both sides of bed according to customer’s request.

Hidden built-in dirt pots under the bed,easy to deal with sewage and debris.

Low position to facilitate patient.

Swiveling handle

Bed can be moved or locked.

Length:1250mm,Width:520mm,Max Height:1200mm,Min Height:500mm



MP35 This table follows the principle of Kinesiology
All parts are driven by low pressure direct current motor,safe and reliable
It's convenient to change from childbirth to sickbed by easy operations in short time
Novel and fully-isolated apperance design can relieve pregnant woman's emotional stress
This table adopts several patent technologies.
The whole structure of this equipment is solid,durable and stable
The movement of several joints can realize different position easily
The exposed mental parts all adopt perfect stainless steel.
And with special antioxidant treatment,you can clean it more easily
Table dimension:560x1900mm(backboard,sternboard and leg board are level)
The lift area of table-board:580-1000mm
The angle of backboard folding upwad:0-75°
The angle of backboard folding downward:0--17°
The angle of sternboard folding upward:0-17°
The angle of sternboard folding downward:0--17°
The angle of leg board putting outward:0-30°
The length of leg board:0-60mm



MP36 This table follows the principle of Kinesiology
All parts are driven by low pressure direct current motor,safe and reliable
It's convenient to change from sickbed to childbirth by easy operations
After turning back leg board,it can open and close by self-motion according to the puerperal state of lying-in woman
With adjusting backboard,sternboard and leg board,it can meet kings of puerperal mode,such as supine position,sitting position,late ral position,semi-reclining position,squatting position,groveling position and etc
Table dimension:560x1900mm(backboard,sternboard and leg board are level),860x1900mm(add turnover cate)
Novel and fully-isolated apperance design can relieve pregnant woman's emotional stress
This table adopts several patent technologies.The whole structure of this equipment is solid,durable and stable
The movement of several joints can realize different position easily
The exposed mental parts all adopt perfect 304 stainless steel
And with special antioxidant treatment,you can clean it more easily
The lift area of table-board:580-1000mm
Translation forward of table-board:0-340mm
The angle of backboard folding upwad:0-75°
The angle of backboard folding downward:0--17°
The angle of sternboard folding upward:0-17°
The angle of leg board putting outward:0-30°
The length of leg board:0-60mm



MP37 This ergonomic all-electric operating table is designed to follow the development of obstetrics and gynecology
Using low-voltage DC motor drive,with security and stability performance
Back and hip plate's tilt can be adjusted according to need by electric
Large range of height adjustment make it easy for some short,pregnant women and those with mobility up and down the operating table
Then also easy to adjust to the best observation place for physicians
Novel and fully-isolated apperance design can relieve pregnant woman's emotional stress
This table adopts several patent technologies.
The whole structure of this equipment is solid,durable and stable
The movement of several joints can realize different position easily
The exposed mental parts all adopt perfect stainless steel.
And with special antioxidant treatment,you can clean it more easily
Table dimension:560x1900mm(backboard,sternboard and leg board are level)
The lift area of table-board:580-1000mm
The angle of backboard folding upwad:0-75°
The angle of backboard folding downward:0--17°
The angle of sternboard folding upward:0-17°
The angle of sternboard folding downward:0--17°
The angle of leg board putting outward:0-30°
The length of leg board:0-60mm



MP38 This table follows the principle of Kinesiology
All parts are driven by low pressure direct current motor,safe and reliable
It's convenient to change from sickbed to childbirth by easy operations
After turning back leg board,it can open and close by self-motion according to the puerperal state of lying-in woman
With adjusting backboard,sternboard and leg board,it can meet kings of puerperal mode,such as supine position,sitting position lateral position,semi-reclining position,squatting position,groveling position and ect
Controlled by micro-computer.Imported motor,more reliable
Novel and fully-isolated apperance design can relieve pregnant woman's emotional stress
Fully-isolated ABS shell
This table adopts several patent technologies.
The whole structure of this equipment is solid,durable and stable
The movement of several joints can realize different position easily
The exposed mental parts all adopt perfect stainless steel.
And with special antioxidant treatment,you can clean it more easily
The lift area of table-board:580-1000mm
Translation forward of table-board:0-340mm
The angle of backboard folding upwad:0-65°
The angle of backboard folding downward:0--10°
The angle of sternboard folding upward:0-17°
The angle of leg board putting outward:0-30°
The length of leg board:0-60mm


MP39a


MP39b

MP39 ELECTRICAL GYNAECOLOGY TABLES

It adopts famous imported brand electric machine for controlling.In order to realize the alterability of the operating table's different angle,the machine adjusts the turning angle of the all-in-one table.Gynaecology operating table can be controlled by two independnent methods,hand or foot.Hand-holding remote controller can display operating status and have self-locking function without trigger by errors.

MP39b has memory and restoring function.Therefore,the machine provides rlaxed and professional treatment position for gynecological diagnosing,ultrasonic flaw detection,Induced abortion and some general gynecological surgery.

Length:1300±50mm,Width:550±20mm,Maximum and minimum height of the platform:(650~950) ±50mm

Forward:≥10°,Backward:≥15°,Backboard up folded:≥50°

Leg bracket electrically elevating:≥350mm,Auxiliary table:350mmx450mm±20mm

Main voltage:AC220v±10% 50Hz


MP40

MP40 GYNAECOLOGY TABLE

It is clinically used for gynaecologic examination,parturition of lying-in woman and other common operations.

Gynaecology table consists of chassis,column,table-board,pneumatic spring and etc.Table-board is divided into back plate,seat plate and auxiliary leg plate.

Pneumatic spring is manually controlled to adjust front and backward tilting of table-board and upward folding of back plate.Hydraulic oil pump is adopted to elevate table-board via foot-operated control.Mechanic transmission is adopted to jack up or fall chassis to the ground via foot-operated control.

Soft mattress for gynaecology table-board is made of high-density leatheroid and that for auxiliary leg plate is made of oplyurethane. Cover casing of gynaecology chassis and both inner and outer cover casing of oil poump column are made of ABS plastics.

Length:1330±50mm,Width:550±30mm

Forward:≥15°,Backward:≥12°,Backboard up folded:≥70°

Leg bracket electrically elevating:≥350mm

Auxiliary table:340mmx460mm±20mm

Table at the lowest level ≤650mm,Table elevating stroke ≥210mm

Auxiliary table stroke ≥540mm


MP41

MP41 MULTI-FUNCTONAL(ELECTRIC) OBSTETRIC TALBE

It is developed on the basis of advanced technologies from aboad. It can be used for child delivery,surgical operations and medical examinations,including caesarean birth.

The bed has micro touch controller for the back and forth and elevation ensruing convenient and flexible operation.It adopts the world famous brand-LINAK imported motor as the power system,producing low level of noise and ensuring reliable service.The back board adopts hand-operated air spring structure with the angle adjustable. The bed has hidden-type mobile auxiliary platform,making it convenient for medical workers in operation.It adopts footstep-operated control for ficing and mobility of the base.All the shell,boards and vessels are made of stainless steel,giving beautiful appoearances and easy for cleaning


Length:1900±50mm,Width:600±10mm

Maximum and minimum height of the platform:(750~1000) ±50mm

length and width of auxiliary table:length:520mm,width:500mm

Forward:≥10°,Backward:≥15°,Backboard up folded:≥60°

Main voltage:AC220v 50Hz ,power:150VA



MP42

MP42 SITTING-LYING PARTURITION TABLE
This table is designed for gynacological examination,treatment and operartion.It can be raised or lowered hydraulically by means of an oil pump,so it is easily adjusted.It is a perfect equipment of gynaecology and obstetric in China.
Length:1850mm,Width:550mm,
Height:800-1000mm

MP43 ORDINARY PARTURITION BED
This bed is designed for obstetrics diagnosis,parturition,dissocial,dilatation and curettage operations.It is characterized by multifunction,easy operation,and low price.This priduct has two types:stainless steel and ordinary arbon steel.Model MP43b is made of stainless steel.
Length:1900mm,Width:600mm,Height:780mm



MP43a



MP43b

stainless steel

GYNAECOLOGICAL EXAMINATION BED SERIES



ordinary carbon steel

MP44a



stainless steel

MP44b

MP44a/MP44b GYNAECOLOGICAL EXAMINATION BED
This bed is designed for obstetric diagonosis,operation and parturition.This product has two types:stainless steel and ordinary carbon steel. And the model MP44b is made of stainless steel.Bed frame takes down easily.
Length:1300mm,Width:500mm,Height:750mm



ordinary carbon steel

MP45a



stainless steel

MP45b

MP45a/MP45b GYNAECOLOGICAL EXAMINATION BED
This bed is designed for obstetrics diagonosis,parturition,dystocia,dilatation and curettage operations.It is haracterized by multifunction,easy operation,and low price.This product has two types:The model MP45a is made of ordinary carbon steel and MP45b is made of stainless steel. The structures and technical parameters are the same.
Length:1900mm,Width:500±30mm,Hieght:750±40mm



MP46



MP47

MP46 GYNAECOLOGICAL EXAMINATION BED
This bed is designed for gynaecologival diagonosis,operation and parturition.zit can be easily folded and dismantled.
Length:1820mm,Width:500mm,Height:800mm

MP47 GYNAECOLOGICAL EXAMINATION BED
The product is designed for obstetric diagnosis,parturition,difficult labor,dilatation and curettage as well as for gynecological operations.The obstetric bed consists of two parts:the main bed part and movable leg bed part.The bottom of the leg bed is equipped with casters,easy to push and pull,flexible,fully hidden in the main bed below.
Length:1050-1950mmm,Width:700mm,Height:800mm

ELECTRIC HOSPIATL BED SERIES



MP48

MP48 Five Function Electric hospital bed
1) Cold steel plate wholly molded surface, connected with arc soft join.
2) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust.
3) Streamline headboard and banister of PE.
4) 4pcs electro-motor, 1pc control box, 1pc handset
5) One set of handset
6) Four truckles adopt central control system, which is stable and reliable
7) Max loading:280kg
8) Battery backup
1) Size:L2240×W1100×H450/720mm
2) Angle of back section: 0 ~ 60° (±5°)
3) Angle of leg section: 0 ~ 40°(±5°)
4) Angle of Trendelenburg and reserve Trendelenburg: 0 ~ 13°(±2°)
5) Adjustable height: 450-720mm
Accessories:
1)I.V.pole
2)Wheels
3)Automatic lifting railing


4pcs electro-motor, 1pc control box, one set of handset, battery back up.
Can change the plug and voltage of the motor as inquiry.


Bed head and foot board
Frame; PE molding
Movable head and foot boards with lock-switch ,the board can be detached easily and quickly.


Automatic lifting guardrail
Frame; PE molding, safe and reliable and can be fixed upward and downward


Two sections I.V. pole (four hooks)
Frame: stainless steel
Twin-wheel lockable castors central brake system.


Accessories (option)
Mattress
Inside: high dense sponge, coco & palm fiber
Surface: waterproof & wearable cloth (fireproof as optional)


Accessories (option)
Bedside table
Made by stainless steel. Movable can adjust the position low or high.



MP49

MP49 Five Function Electric hospital bed
1) Cold steel plate wholly molded surface, connected with arc soft join.
2) Streamline headboard and banister of PE.
3) 4pcs electro-motor, 1pc control box, 1pc handset.
4) Automatic lifting railing, safe and reliable, and can be fixed upward and downward.
5) One set of handset
6) Four wheels, two with brake, two without brake
7) Battery back up
Dimensions:
1) Size2240×1100×450/720mm
2) Angle of back section: 0 ~ 80°(±5°)
3) Angle of leg section: 0 ~ 80°(±5°)
4) Angle of Trendelenburg and reserve Trendelenburg: 0~13°(±2°)
5) Adjustable height: 450-720mm
Accessories:
1) I.V.pole
2) Wheels
3) Automatic lifting railing


4pcs electro-motor, 1pc control box, one set of handset, battery back up.
Can change the plug and voltage of the motor as inquiry.


Bed head and foot board
Frame; PE molding
Movable head and foot boards with lock-switch ,the board can be detached easily and quickly.


Automatic lifting guardrail
Frame; PE molding, safe and reliable and can be fixed upward and downward


Two sections I.V. pole (four hooks)
Frame: stainless steel
5" universal castors (2pcs with brake, 2pcs without brake)


Accessories (option)
Mattress
Inside: high dense sponge, coco & palm fiber
Surface: waterproof & wearable cloth (fireproof as optional)


Accessories (option)
Bedside table
Made by stainless steel. Movable can adjust the position low or high.

Dimensions:
1) Size:L2130×W980×H450/700mm
2) Angle of back section: 0 ~ 80° (±5°)
3) Angle of leg section: 0 ~ 40° (±5°)
4) Angle of Trendelenburg and reserve Trendelenburg: 0 ~ 13°(±2°)
5) Adjustable height: 450-720mm
Accessories:
1) I.V.pole
2) Wheels
3) Aluminum alloy protective railing



MP50

MP50 Five Function Electric hospital bed
1) Cold steel plate wholly molded surface.
2) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
3) ABS bed head, 6 aluminum bars fence can go up and down.
4) 4pcs electro-motor, 1pc control box,
5) One set of handset
6) 5" universal castors (2pcs with brake, 2pcs without brake)
7) Max Loading: 280 Kg
8) Battery backup



4pcs electro-motor, 1pc control box, one set of handset, battery back up.
Can change the plug and voltage of the motor as inquiry.



Bed head and foot board
Frame; PE molding
Movable head and foot boards with lock-switch ,the board can be detached easily and quickly.



Collapsible side rail
6 aluminum bars fence with lock-switch can be detached easily and quickly.



Two sections I.V. pole (four hooks)
Frame: stainless steel
5" universal castors (2pcs with brake, 2pcs without brake)



Accessories (option)
Mattress
Inside: high dense sponge, coco & palm fiber
Surface: waterproof & wearable cloth (fireproof as optional)



Accessories (option)
Telescopic dining table
The feature can shorten the length of table while not in use to provide against possible harms of protrusion.



MP51

MP51 Five Function Electric hospital bed
1) Cold steel plate wholly molded surface.
2) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
3) ABS bed head, 6 aluminum bars fence can go up and down.
4) 3pcs electro-motor, 1pc control box,
5) One set of handset
6) Four truckles adopt central control system, which is stable and reliable
7) Max Loading: 280 Kg
8) Battery back up
Dimensions:
1) Size:L2130×W980×H450/700mm
2) Angle of back section: 0 ~ 80° (±5°)
3) Angle of leg section: 0 ~ 40°(±5°)
4) Adjustable height: 450-700mm
Accessories:
1) I.V.pole
2) Wheels
3) Aluminum alloy protective railing




Two sections I.V. pole (four hooks)
Frame: stainless steel
Twin-wheel lockable castors central brake system.



Accessories (option)
Mattress
Inside: high dense sponge, coco & palm fiber
Surface: waterproof & wearable cloth (fireproof as optional)



Accessories (option)
Telescopic dining table
The feature can shorten the length of table while not in use to provide against possible harms of protrusion.



3pcs electro-motor, 1pc control box, one set of handset, battery back up.
Can change the plug and voltage of the motor as inquiry.



Bed head and foot board
Frame; PE molding
Movable head and foot boards with lock-switch ,the board can be detached easily and quickly.



Collapsible side rail
6 aluminum bars fence with lock-switch can be detached easily and quickly.



MP52

MP52 Three Function Electric Hospital Bed
1) Cold steel plate wholly molded surface.
2) Integrated stamping frame and treated with electro-static spraying, anti-aging and anti-rust
3) ABS bed head, 6 aluminum bars fence can go up and down.
4) 3pcs electro-motor, 1pc control box,
5) One set of handset
6) 5” universal castors (2pcs with brake, 2pcs without brake)
7) Max Loading: 280 Kg
8) Battery backup
Dimensions:
1) Size:L2130×W980×H450/700mm
2) Angle of back section: 0 ~ 80° (±5°)
3) Angle of leg section: 0 ~ 40°(±5°)
4) Adjustable height: 450-720mm
Accessories:
1) I.V.pole
2) Wheels
3) Aluminum alloy protective railing



3pcs electro-motor, 1pc control box, one set of handset, battery back up.
Can change the plug and voltage of the motor as inquiry.



Bed head and foot board
Frame; ABS molding
Movable head and foot boards with lock-switch ,the board can be detached easily and quickly.



Collapsible side rail
6 aluminum bars fence with lock-switch can be detached easily and quickly.



Two sections I.V. pole (four hooks)
Frame: stainless steel
5” universal castors (2pcs with brake, 2pcs without brake)



Accessories (option)
Mattress
Inside: high dense sponge, coco & palm fiber
Surface: waterproof & wearable cloth (fireproof as optional)



Accessories (option)
Telescopic dining table
The feature can shorten the length of table while not in use to provide against possible harms of protrusion.



MP53

MP53 Three Function Electric Hospital Bed
1) Cold steel plate wholly molded surface.
2) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
3) ABS bed head, 6 aluminum bars fence can go up and down.
4) 3pcs electro-motor, 1pc control box,
5) One set of handset
6) 5” universal castors (2pcs with brake, 2pcs without brake)
7) Max Loading: 280 Kg
8) Battery backup
Dimensions:
1) Size:L2130×W980×H280/620mm
2) Angle of back section: 0 ~ 80° (±5°)
3) Angle of leg section: 0 ~ 40°(±5°)
4) Adjustable height: 280-620mm
Accessories:
1) I.V.pole
2) Wheels
3) Aluminum alloy protective railing



3pcs electro-motor, 1pc control box, one set of handset, battery back up.
Can change the plug and voltage of the motor as inquiry.



Bed head and foot board
Frame; ABS molding
Movable head and foot boards with lock-switch ,the board can be detached easily and quickly.



Collapsible side rail
6 aluminum bars fence with lock-switch can be detached easily and quickly.



Two sections I.V. pole (four hooks)
Frame: stainless steel
5” universal castors (2pcs with brake, 2pcs without brake)



Accessories (option)
Mattress
Inside: high dense sponge, coco & palm fiber
Surface: waterproof & wearable cloth (fireproof as optional)



Accessories (option)
Telescopic dining table
The feature can shorten the length of table while not in use to provide against possible harms of protrusion.


www.aline-medical.com

MP54

MP54 Two Function Electric Hospital Bed
1) Cold steel plate wholly molded surface.
2) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
3) ABS bed head, 6 aluminum bars fence can go up and down.
4) 2pcs electro-motor, 1pc control box,
5) One set of handset
6) 5” universal castors (2pcs with brake, 2pcs without brake)
7) Max Loading: 280 Kg
8) Battery backup
Dimensions:
1) Size:L2130×W980×H500mm
2) Angle of back section: 0 ~ 80° (±5°)
3) Angle of leg section: 0 ~ 40°(±5°)
Accessories:
1) I.V.pole
2) Wheels
3) Aluminum alloy protective railing



2pcs electro-motor, 1pc control box, one set of handset, battery back up.
Can change the plug and voltage of the motor as inquiry.



Bed head and foot board
Frame; ABS molding
Movable head and foot boards with lock-switch ,the board can be detached easily and quickly.



Collapsible side rail
6 aluminum bars fence with lock-switch can be detached easily and quickly.



Two sections I.V. pole (four hooks)
Frame: stainless steel
5” universal castors (2pcs with brake, 2pcs without brake)



Accessories (option)
Mattress
Inside: high dense sponge, coco & palm fiber
Surface: waterproof & wearable cloth (fireproof as optional)



Accessories (option)
Telescopic dining table
The feature can shorten the length of table while not in use to provide against possible harms of protrusion.


www.aline-medical.com
www.aline-medical.com

MP55

MP55 Two Function Electric Hospital Bed
1) Cold steel plate wholly molded surface and banister made of stainless steel.
2) 2pcs electro-motor, 1pc control box, 1pc handset
3) 5” universal castors (2pcs with brake, 2pcs without brake)
4) This bed adopt easy dismountable design.
Dimensions:
1) SizeL2130×W980×H500mm
2) Angle of back section: 0 ~ 80° (±5°)
3) Angle of leg section: 0 ~ 40°(±5°)
Accessories:
1) I.V.pole
2) Wheels
3) stainless steel.protective railing



2pcs electro-motor, 1pc control box, one set of handset, battery back up.
Can change the plug and voltage of the motor as inquiry.



The head and foot board is laminated panels irremovable.



Stainless steel side rail
Frame; stainless steel
Insertion style bedrail be detachable.



Two sections I.V. pole (four hooks)
Frame: stainless steel
5” universal castors (2pcs with brake, 2pcs without brake)



Mattress options
Inside: high dense sponge, coco & palm fiber
Surface: waterproof & wearable cloth (fireproof as optional)



Telescopic dining table options
The feature can shorten the length of table while not in use to provide against possible harms of protrusion.



MP56

M{56 Electric Home care Bed
1) 3pcs electro-motor, 1pc control box, 1pc handset
2) laminate wooden outside,powder spray painting steel
3) Aluminum alloy bedside rails
Dimensions:
1) SizeL2140×1200×360-650mm
2) Angle of back section: 0 ~ 80° (±5°)
3) Angle of leg section: 0 ~ 40°(±5°)
4)Adjustable height:360-650mm
Accessories:
1) I.V.pole
2)Aluminum alloy protective railing
3) Wheels



TwoSectionI.V.Pole(Four Hooks)
Frame:stainless steel
5" universal castors (2pcs with brake,2pcs without brake)



Mattress options
Inside:high dense sponge, coco & palm fibre
Surface:waterproof & wear-able cloth
(fireproof as optional)



Collapsible side rail
6 aluminum bars fence with lock-switch can be collapsed easily and quikly



Telescopic Dinng table options
The feature can shorten the length of table while not in use to provide against possible harms of protrusion



MP57

MP57 Electric Home care Bed
1) 2pcs electro-motor, 1pc control box, 1pc handset
2) Solid wooden outside,powder spray painting steel
3) Optional choose:aluminum alloy bedside rails
Dimensions:
1) Size:2140×1020×400mm
2) Angle of back section: 0 ~ 80° (±5°)
3) Angle of leg section: 0 ~ 40°(±5°)
4)Adjustable height:360-650mm
Accessories:
1) I.V.pole
2)Aluminum alloy protective railing



Two Section I.V.Pole(Four Hooks)
Frame:stainless steel



Collapsible side rail
6 aluminum bars fence with lock-switch can be collapsed easily and quikly



Mattress options
Inside:high dense sponge,coco & palm fibre
Surface:waterproof & wearable cloth (fire-proof as optional)



Telescopic Dinng table options
The feature can shorten the length of table while not in use to provide against possible harms of protrusion

MANUAL HOSPITAL BED SERIES

MP58 One crank manual hospital bed
1) Single manual crank system
2) ABS bed head, 6 aluminum bars fence can go up and down.
3) 4pcs soft crashworthy bumpers
4) Accessories):5" universal castors (2pcs with brake, 2pcs without brake), 2pcs urine hooks, 6pcs IV drip holes
5) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
6) Max Loading: 280 Kg

Dimensions:
1) Size:L2130×W980×H500mm
2) Angle of back section: 0 ~ 80° (±5°)
Accessories:
1) I.V.pole
2) Wheels
3) Aluminum alloy protective railing
4)Oddment hook



MP58


Single manual crank system
The crank adopt hidden design.


Bed head and foot board
Frame; PE molding
Movable head and foot boards with lock-switch ,the board can be detached easily and quickly.


Collapsible side rail
6 aluminum bars fence with lock-switch can be detached easily and quickly.


Two sections I.V. pole (four hooks)
Frame: stainless steel
5" universal castors (2pcs with brake, 2pcs without brake)


Accessories (option)
Mattress
Inside: high dense sponge, coco & palm fiber
Surface: waterproof & wearable cloth (fireproof as optional)


Accessories (option)
Telescopic dining table
The feature can shorten the length of table while not in use to provide against possible harms of protrusion.

MP59 Two crank manual hospital bed
1) Double manual crank system
2) ABS bed head, 6 aluminum bars fence can go up and down.
3) 5" universal castors (2pcs with brake, 2pcs without brake)
4) 4pcs soft crashworthy bumpers, 2pcs urine hooks, 6pcs IV drip holes
5) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust.
6) Max Loading: 280 Kg

Dimensions:
1) Size: L2130×W980×H500mm
2) Angle of back section: 0 ~ 80° (±5°)
3) Angle of leg section: 0 ~ 40° (±5°)
Accessories:
1) I.V.pole
2) Wheels
3) Aluminum alloy protective railing
4) Oddment hook


Double manual crank system
The crank adopt hidden design.


Bed head and foot board
Frame; ABS molding
Movable head and foot boards with lock-switch ,the board can be detached easily and quickly.


Collapsible side rail
6 aluminum bars fence with lock-switch can be detached easily and quickly.



MP59


Two sections I.V. pole (four hooks)
Frame: stainless steel
5" universal castors (2pcs with brake, 2pcs without brake)


Mattress options
Inside: high dense sponge, coco & palm fiber
Surface: waterproof & wearable cloth (fireproof as optional)


Telescopic dining table options
The feature can shorten the length of table while not in use to provide against possible harms of protrusion.



MP60

MP60 One lifter two crank manual hospital bed
1) Double manual crank system
2) ABS bed head, 6 aluminum bars fence can go up and down.
3) 5” universal castors (2pcs with brake, 2pcs without brake)
4) 4pcs soft crashworthy bumpers
5) 2pcs urine hooks, 6pcs IV drip holes
6) Have a lifter.
7) Has been assessed and conforms.

Dimensions:
1) Size: L2130×W980×H500mm
2) Angle of back section: 0 ~ 80° (±5°)
3) Angle of leg section: 0 ~ 40° (±5°)
Accessories:
1) I.V.pole
2) Wheels
3) Aluminum alloy protective railing
4) Oddment hook
5)Over bed table & a lifter.



Double manual crank system
The crank adopt hidden design.



Bed head and foot board
Frame; ABS molding
Movable head and foot boards with lock-switch ,the board can be detached easily and quickly.



Collapsible side rail
6 aluminum bars fence with lock-switch can be detached easily and quickly.



Two sections I.V. pole (four hooks)
Frame: stainless steel
5” universal castors (2pcs with brake, 2pcs without brake)



Mattress options
Inside: high dense sponge, coco & palm fiber
Surface: waterproof & wearable cloth (fireproof as optional)



Dining table can go up and down



MP61

MP61 Two crank deluxe hospital bed
1) Double manual crank system
2) ABS bed head, automatic lifting guardrail, safe and reliable, and can be fixed upward and downward .
3) 5” universal castors (2pcs with brake, 2pcs without brake)
4) 4pcs soft crashworthy bumpers, 2pcs urine hooks, 6pcs IV drip holes
5) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust.
6) Max Loading: 280 Kg
Dimensions:
1) Size: L2130×W980×H500mm
2) Angle of back section: 0 ~ 80° (±5°)
3) Angle of leg section: 0 ~ 40° (±5°)
Accessories:
1) I.V.pole
2) Wheels
3) Automatic lifting guardrail, safe and reliable, and can be fixed upward and downward
4) Oddment hook



Double manual crank system
The crank adopt hidden design.



Bed head and foot board
Frame; ABS molding
Movable head and foot boards with lock-switch ,the board can be detached easily and quickly.



Automatic lifting guardrail.
Frame: PE molding, safe and reliable, and can be fixed upward and downward.



Two sections I.V. pole (four hooks)
Frame: stainless steel
5” universal castors (2pcs with brake, 2pcs without brake)



Accessories (option)
Mattress
Inside: high dense sponge, coco & palm fiber
Surface: waterproof & wearable cloth (fireproof as optional)



Accessories (option)
Bedside table
Made by stainless steel.
Movable can adjust the position low or high.



MP62

MP62 Two function manual hospital bed
1) Double manual crank system
2) ABS bed head, 6 aluminum bars fence can go up and down.
3) 5" universal castors (2pcs with brake, 2pcs without brake)
4) 4pcs soft crashworthy bumpers, 2pcs urine hooks, 6pcs IV drip holes
5) The plate is made of stainless steel
6) Max Loading: 280 Kg
Dimensions:
1) Size: L2130×W980×H500mm
2) Angle of back section: 0 ~ 80° (±5°)
3) Angle of leg section: 0 ~ 40° (±5°)
Accessories:
1) I.V.pole
2) Wheels
3) Aluminum alloy protective railing
4) Oddment hook



Double manual crank system
The crank adopt hidden design.



Bed head and foot board
Frame; ABS molding
Movable head and foot boards with lock-switch ,the board can be detached easily and quickly.



Collapsible side rail
6 aluminum bars fence with lock-switch can be detached easily and quickly.



Two sections I.V. pole (four hooks)
Frame: stainless steel
5" universal castors (2pcs with brake, 2pcs without brake)



Accessories (option)
Mattress
Inside: high dense sponge, coco & palm fiber
Surface: waterproof & wearable cloth (fireproof as optional)



Accessories (option)
Telescopic dining table
The feature can shorten the length of table while not in use to provide against possible harms of protrusion.



MP63

MP63 Three crank manual hospital bed
1) 3sets manual crank system
2) ABS bed head, 6 aluminum bars fence can go up and down.
3) 4pcs soft crashworthy bumpers
4) accessories):5" universal castors (2pcs with brake, 2pcs without brake) ,2pcs urine hooks, 6pcs IV drip holes
5) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
6) Max Loading: 280 Kg
Dimensions:
1) Size:L2130×W980×H450/700mm
2) Angle of back section: 0 ~ 80° (±5°)
3) Angle of leg section: 0 ~ 40° (±5°)
4) Adjustable height: 450-700mm
Accessories:
1) I.V.pole
2) Wheels
3) Aluminum alloy protective railing



Triple manual crank system
The crank adopt hidden design.



Bed head and foot board
Frame; ABS molding
Movable head and foot boards with lock-switch , the board can be detached easily and quickly.



Collapsible side rail
6 aluminum bars fence with lock-switch can be detached easily and quickly.



Two sections I.V. pole (four hooks)
Frame: stainless steel
5" universal castors (2pcs with brake, 2pcs without brake)



Accessories (option)
Mattress
Inside: high dense sponge, coco & palm fiber
Surface: waterproof & wearable cloth (fireproof as optional)



Accessories (option)
Telescopic dining table
The feature can shorten the length of table while not in use to provide against possible harms of protrusion.

MP64 Extra low three crank manual hospital bed
1) 3sets manual crank system
2) ABS bed head, 6 aluminum bars fence can go up and down.
3) 4pcs soft crashworthy bumpers
4) accessories):5” universal castors (2pcs with brake, 2pcs without brake) ,2pcs urine hooks, 6pcs IV drip holes
5) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust
6) Max Loading: 280 Kg.

Dimensions:
1) Size:L2130×W980×H280-580mm
2) Angle of back section: 0 ~ 80° (±5°)
3) Angle of leg section: 0 ~ 40° (±5°)
4) Adjustable height: 280-580mm
Accessories:
1)I.V.pole
2)Wheels
3)Aluminum alloy protective railing
4)Oddment hook



MP64



Triple manual crank system
The crank adopt hidden design.



Bed head and foot board Frame; ABS molding
Movable head and foot boards with lock-switch , the board can be detached easily and quickly.



Collapsible side rail
6 aluminum bars fence with lock-switch can be detached easily and quickly.



Two sections I.V. pole (four hooks)
Frame: stainless steel
5” universal castors (2pcs with brake, 2pcs without brake)



Mattress options
Inside: high dense sponge, coco & palm fiber
Surface: waterproof & wearable cloth (fireproof as optional)



Telescopic dining table options
The feature can shorten the length of table while not in use to provide against possible harms of protrusion.



MP65

MP65 Three crank manual hospital bed
1) Size: L2210×W980×H440-680mm
2) Made of mild steel metal plate
3) 3 sets manual crank system
4) Integrated stamping frame and treated with electrostatic spraying, anti-aging and anti-rust-Monitor table and push handle
5) Monitor table and push handle.
6) 4pcs soft bumpers, 4pcs castors (two pcs with brake)
7) Bedrail: total length 1420mm, aluminum alloy hand bar with oxidation treatment, six stainless side bars consisted in the side rail
Function
1) Angle of back section: 0 ~ 80° (± 5°)
2) Angle of back section: 0 ~ 40° (± 5°)
3) Adjusted height: 440-680mm
Accessories:
1) I.V Pole
2) luxury wheels
3) Automatic aluminum railing
4) Monitor table and push handle



Triple manual crank system
The crank adopt hidden design.



The bed head board made by mild steel can be pushing easily.



Collapsible side rail
6 aluminum bars fence with lock-switch can be detached easily and quickly.



Two sections I.V. pole (four hooks)
Frame: stainless steel
5” universal castors (2pcs with brake, 2pcs without brake)



Mattress options
Inside: high dense sponge, coco & palm fiber
Surface: waterproof & wearable cloth (fireproof as optional)



Monitor table and push handle



MP66

MP66 Flat hospital bed
1) Size: L2130×W980×H500mm
2) ABS bed head board,6 aluminum bars fence can go up and down.
3) 2pcs soft crashworthy bumpers.
Accessories:
1) I.V Pole
2) wheels
3) Automatic aluminum railing



Two section I.V. pole(four hooks)
Frame: stainless steel



Bed head and foot board
Frame; PE molding
Movable head and foot boards with lock-switch , the board can be detached easily and quickly.



Collapsible side rail
6 aluminum bars fence with lock-switch can be detached easily and quickly.



5" universal castors (2pcs with brake, 2pcs without brake)



Mattress options
Inside: high dense sponge, coco & palm fiber
Surface: waterproof & wearable cloth (fireproof as optional)



Telescopic dining table options
The feature can shorten the length of table while not in use to provide against possible harms of protrusion.



MP67a

MP67a STAINLESS STEEL FOLDING BED(reduce by third)
Length:1950mm,Width:900mm,Height:600mm,Volume:204x97x38cm(2pcs)



MP67b

MP67b HAND FOLDING BED(REDUCE BY THIRD)
Length:1950mm,Width:900mm,Height:600mm,Volume:204x97x38cm(2pcs)



MP67c

MP67c EVEN BED(stainless steel body with wteel board)
Length:1950mm,Width:900mm,Height:600mm,Volume:196x91x30cm(2pcs)



MP67d

MP67d STAINLESS STEEL FOLDING BED(reduce by half,stainless steel body)
Length:1950mm,Width:900mm,Height:600mm,Volume:204x97x38cm(2pcs)



MP68a

Stainless steel bedsides with steel boards



MP68b

Stainless steel bedsides with woody boards



MP68c

Manual two folding bed(of the crate type)



MP68d

Two folding bed with stainless steel bedsides

MP68a/MP68b/MP68c/MP68d
Size
Length:1950mm,Width:900mm,Heith:600mm

LOADING STRETCHER SERIES



MP69



Back fixture



Front fixture



Locking device

MP69 The product is made of high quality aluminum alloy material,with the foam mattress,light weight,safe and reliable.
With a safety lock device,it must be open when the stretcher goes up and down the ambulance,locked when moves on the floor.
By controlling two handles,just one person can be able to operate,and makes the patient safe and comfortable.
With the fixture,can lock hte stretcher aftere inside the ambulance.
Size:190x55x90(highest)/26(lowest)cm,Self weight:34kg,Capability:159kg,Package quantity:1pcs,Package size:193x63x27cm,GW:38kg



MP70

MP70 The product is made of high quality aluminum alloy material,with the foam mattress,light weight,safe and reliable.
With two castors on front of the strecher,can be adjustable according to the different ambulance heightl
With a safety lock device,it must be open when the stretcher goes up and down the ambulance,locked when moves on the floor.
By controlling two handles,just one person can be able to operate,and makes the patient safe and comfortable.
With the fixture,can lock the stretcher after inside the ambulance.
Size:190x55x90(highest)/26(lowest)cm
Self weight:38kg
Capability:159kg
Package quantity:1pcs
Package size:193x63x27cm
GW:42kg













MP71

MP71 The product is made of high quality aluminum alloy material,with the foam mattress,light weight,safe and reliable.
By controlling two side handles,multi-position can be availabel.
With a safety lock device,it must be open when the stretcher goes up and down the ambulance,locked when moves on the floor.
With the fixture,can lock the stretcher after inside the ambulance.
Size:193x55x80(highest)/32(lowest)cm
Self weight:29kg
Capability:159kg
Package quantity:1pcs
Package size:193x63x27cm
GW:33kg









MP72a

MP72a Multifunctional
Product size:1980x540x930max(mm)
1980x540x320min(mm)
Net weight 35kg
Gross weight 40kg
Loading bearing ≤159kg



MP72b

MP72b The about part can remove
Product size:1980x540x930max(mm)
1980x540x320min(mm)
Net weight 38kg
Gross weight 45kg
Loading bearing ≤159kg



MP72c

MP72c The about part can remove
Product size:1980x540x900max(mm)
1980x540x320min(mm)
Net weight 39kg
Gross weight 46kg
Loading bearing ≤159kg



MP72d

MP72d Single layer
Product size:1980x540x930max(mm)
1980x540x300min(mm)
Net weight 36kg
Gross weight 40kg
Loading bearing ≤159kg



MP72e

MP72e The about part can remove and the leg part can become “Z”position
Product size:1980x540x900max(mm)
1980x540x320min(mm)
Net weight 39kg
Gross weight 48kg
Loading bearing ≤159kg

MP72a/MP72b/MP72c/MP72d/MP72e
Multifunctional automatic stretcher with varied positions, used for first aid, is a unique design. It can easily adjust to various positions for emergency treatment under any complicated situations, especially compatible with ambulance environment.
The stretcher can be adjusted to 6 levels and fold back and forth according to practical needs. When bent forward, the back of the stretcher is supported by fixed pneumatic springs with strapless controlling up to 60 degrees angle. Equipped with front and back fixation support design, the stretcher can be locked in place into the ambulance at a desired position.



MP73





MP73 This automatic wheelchair type stretcher is mainly for outdoor transportation use. It's a must-have accessory for ambulances and can be folded into a wheelchair for use in narrow stairs or elevators.
It is made of high quality aluminum alloy. It's light- weight, appealing, reasonably constructed, easy to operate and antiseptically designed. With soft foam surface mattress and protecting block side, it's also rust proof and easy to clean.
Technical Parameter:

Product size	1900x570x850(mm)
Net weight	45kg
Gross weight	55kg
Loading bearing	≤159kg



MP74a



MP74b

MP74
It aluminum alloy stretchers for ambulances are mainly used by outdoor rescue teams. This stretcher is specially designed for the ambulance. Due to its aluminum alloy material tubes and quality design, light weight, antiseptic, rust proof and easy to clean and has an appealing appearance. Made of Foam cushion, the mattress has two easy handling bed binds on both sides of the bed frame to ensure safety. The stretcher can fold back and forth up to 60 degrees angle. Under the bed, there are four removable and adjustable spanners. It's equipped with all-angled rolling wheels, two safety belts and standard lock-in accessories for ambulance use.
MP74a
Technical Parameter:

Product size	1900x540x450(mm)
Net weight	24kg
Gross weight	30kg
Loading bearing	≤159kg

MP74b
The leg position can be acclivitous
Technical Parameter:

Product size	1900x540x450(mm)
Net weight	24kg
Gross weight	30kg
Loading bearing	≤159kg



MP75a



MP75b

MP75a/MP75b
It aluminum alloy stretcher for ambulance is mainly used by the outdoor rescue team. This stretcher is specially designed for the ambulance. Due to its aluminum alloy material tubes and quality design, the MLF999-B1 is light weight, antiseptic, rust proof and easy to clean. Besides its appealing appearance, the stretcher can fold back and forth up to 60 degrees angle.

MP75a

Product size	1940x550x900max(mm) 1940x550x390min(mm)
Net weight	35kg
Gross weight	40kg
Loading bearing	≤159kg

MP75b

Product size	1900x530x820max(mm) 1900x530x300min(mm)
Net weight	35kg
Gross weight	40kg
Loading bearing	≤159kg



MP76

MP76
It aluminum alloy wheelchair folding stretcher is made of high quality aluminum alloy. With characteristics like light weight, appealing appearance, convenience, antisepsis, easy to clean, it's mainly used in areas with difficult traffic or entry such as narrow halls, gateways, cloisters or stairs of several turnings.
Two 4" rear stationary wheels and two 2" low profile front guiding wheels accommodate transferring on most floor types.
Safety locking latch maintains chair's position during using.

Product size	Unfolded:1900x500x120(mm)
	Folded:1010x500x150(mm)
Net weight	9kg
Gross weight	11kg
Loading bearing	≤159kg



MP77

MP77
It wheelchair type stretcher, made of high quality aluminum alloy, is mainly used in areas with difficult traffic or entry such as narrow halls, gateways, cloisters or stairs of several turnings.
A Note:With two wheels
Technical Parameter:

Folded size	930x520x160(mm)
Net weight	8kg
Gross weight	12kg
Loading bearing	≤159kg

B Note:With four wheels and foldable handles
Technical Parameter:

Folded size	930x520x160(mm)
Net weight	8kg
Gross weight	12kg
Loading bearing	≤159kg



MP78a

MP78a

Product size	1930x600x880max(mm)
	1930x600x210min(mm)
Net weight	36kg
Gross weight	40kg
Loading bearing	≤159kg



MP78b

MP78b

Product size	1930x610x880max(mm)
	1930x610x210min(mm)
Net weight	36kg
Gross weight	40kg
Loading bearing	≤159kg

MP78a/MP78b
It automatic loading stretcher can be operated by one person from an emergency vehicle. It's a necessity for emergency rooms of hospitals and medical centers.
Rolling-wheels design makes model automatic loading stretcher easier to load and unload from an emergency vehicle without lifting it. The stretcher legs can fold under cot automatically when loading into the vehicle. When unloading from the vehicle, the legs can unfold and lock into an operating cot position. The safety left and right-hand control levers also unlock front and back legs respectively when unloading from the vehicle, and the polyethylene-covered strips and shock proof legs at the same time prevent sliding and allowing the stretcher rolling smoothly in and out of the vehicle.



MP79

MP79
It multifunctional stetcher with varied positions,used for first aid,is a unique design.It can easily adjust to various positions for emergency treatment under any complicated situations,especially compatible with ambulance environment.All the parts are removable from the cot.It's commonly used morgue,mortuaries,funeral homes and hospitals.
Product size 1900x520x810max(mm) /1900x520x300min(mm)
Net weight 35kg
Gross weight 40kg
Loading bearing ≤159kg



MP80

It is made of high-quality aluminum alloy
The joining is cast by aluminum alloy
the bed surface is a thick soft foamed cushion that makes the patient comfortable
The foldaway mechanical legs are controlled by the handles on both sides
Only one rescuer is needed to trundle the stretcher into the ambulance
The fixed bracket can be tied to the inside of the ambulance,and the strectcher can be fixed as well
Size:high:193x57x90cm,low:193x57x27cm
Max.angle of the backrest:40°
Self-weight:38kg,Load bearing:159kg
Packing:size:196x65x27cm,G.W.:44kg



MP81

MP81 Tilt table
It adopts import motor without moise
Adjustable lifting wheel,moveable and convenient
Adjustable hand controlling switch,convenient and flexible the safe strap on the chest has been wider which is convenient and soft
PU medical special leather,without germ and wear-resisting
It provides standing training for apoplexy patients and those who are leg-cut
The leaning angle of bed surface can be adjusted form 0° to 90°
It is useful for the patients with following disease:apoplexy,paraplegia,sicked,injure of backbone nerve,orthopaedics disease of lower limbs,etc
Specification:205x65x48-80cm Bed surface size:190x62cm
Bed body lifting scale:45-80cm
Lifting height:200-230cm Lifting adjustable angle:0°-90°
Gas pulling back can be adjustable from 0° to 80°
The height of armrest and table can be adjusted
Adjustable angle scale of the table:0°-80°
Adjustable angle of the flexible treadle:up +30°,inner 30°,down -30°,outer 30°
Max. Thrust:6000N Max.Bearing:185kg



MP82a
H:20cm,W:40cm



MP82b
First layer:H:18cm,W:40cm
Second layer:H:36cm,W:40cm



MP82c
H20cm,W:40cm

STAINLESS STEEL STEP
This stainless steel step is made of high-strengthened stainless steel. This product is light-weight,rust proof and easy to sterilize.Suitable for out-patient service and transfer.



MP83

The stretcher is mainly used for high building's lift carring patients.Only one person can operating this stretcher
It with two wheels are easy for moving on ground
The stretcher with two pieces of belts to approve the patient's safely during trantsport process
It is made of stainless steel materials,it characterised by its being light-weight,small-sized,easy-carried,use-safely and easy for sterilization and clean
Unfolded size:95x46x97cm
Folded size:88x46x33cm
Self-weight:7kg Load bearing:159kg
Packing:size:48x35x90cm,G.W.:8kg



MP84

The stretcher is mainly used for high building's lift carring patients and wounded person,The structrue can be folded and the stretcher structure could get smaller,It with four wheels
The back of the stretcher designed with two folded handles
Under the front of the stretcher with two flexible uplift rod
The stretcher with two pieces of belts to approve the patients safely during trantsport process
It is made of stainless steel materials,it characterised by its being light-weight,small-sized,easy-carried,use-safely and easy for sterilzation and clean.
Unfolded size:131x50x155cm Folded size:15x51x30cm
Self-weight:14kg Load bearing:159kg
Packing:size:108x54x33cm,G.W.:17.5kg

EMERGENCY BED SERIES



MP85a



MP85b



MP85c

MP85a/MP85b/MP85c
MP85a/MP85b emergency bed provides handy help for paramedics in medical centers, emergency rooms, first aid units and gymnasiums, etc. Deliberately designed by our R&D staff, shows its outstanding ability in transporting the patient from the operating room to the ward. Due to its aluminum alloy material tubes and quality design, the MP80a/MP80b is appealing, light weight, antiseptic, rust proof and easy to sterilize.
MP85a head part is adjustable up to 65 degrees angle. (MP85b does not have this feature.)
MP85c surgical stainless steel trolley, made of high quality stainless steel, is antiseptic, rust proof and easy to clean and sterilize. With its appealing appearance and reasonable design, it's commonly used in surgery rooms and transferring patients.

MP85a
Product size 1920x550x890max(mm) 1920x550x400min(mm)
Net weight 36kg
Gross weight 40kg
Loading bearing ≤159kg

MP85b
Product size 1920x550x890max(mm) 1920x550x400min(mm)
Net weight 36kg
Gross weight 40kg
Loading bearing ≤159kg

MP85c
Product size 1900x600x800max(mm)
Net weight 28kg
Gross weight 33kg
Loading bearing ≤159kg



MP86



MP86 ALUMINUM RESCUE BED
The product is made of high-quality aluminum alloy materials,light weight,safe and reliable,the back is adjustable,for transfering patients in the hospital,it's easy to be cleaned.
The height can be adjustable,with four wheels,two are lockable.
It can separated into a stretcher and a frame,the stretcher can be used alone.
Size:190x55x88(highest)/50(lowest)cm
Self weight:31kg,Capability:159kg
Package quantity:1pcs,Package size:194x63x33cm,GW:35kg



MP87

MP87 ALUMINUM RESCUE BED
The product is made of high-quality aluminum alloy materials,light weight,safe and reliable,the back is adjustable,for transfering patients in the hospitalit's easy to be cleaned.
The height can be adjustable,with four wheels,two are lockable.
The back can be adjustable.
It can separated into a stretcher and a frame,the stretcher can be used alone.
Size:190x55x88(highest)/50(lowest)cm
Self weight:32kg
Capability:159kg
Package quantity:1pcs
Package size:194x63x33cm
GW:36kg

STRETCHER SERIES



MP88a



MP88b

MP88a Telescopic
Technical Parameter:
Productsize 1640x430x80mix(mm)
2230x430x80min(mm)
Net weight 9kg
Gross weight 11kg
Loading bearing ≤159kg
MP88b Unscalable
Technical Parameter:
Product size 1890x430x80(mm)
Net weight 10kg
Gross weight 11kg
Loading bearing ≤159kg

MP88a/MP88b
A portable first aid stretcher, it is commonly used for transporting bone fractured and seriously injured patients. A clutch zip design at the middle of the model, the stretcher can be divided into left and right parts. Both parts can be drawn out when you need to put the patient on the operating table or the hospital bed quickly without moving the patient. The stretcher length can be adjusted according to the patient's height. With the patient on, the stretcher can be directly transferred into the ambulance. The stretcher can fold or be separated into two parts, easy to carry or transport.



MP89

MP89 SCOOP STRETCHER(EXTENDING AND FOLDABLE)
The product is made of high-quality aluminum alloy materials,separate the stretcher into two parts after press the two side buttons,patients can be fixed on it without being moved,three length positions,it's easy to be cleaned.
Size:202x42x7cm(open),118x42x7(folded)cm
Self weight:8kg
Capability:159kg
Package quantity:2pcs
Package size:123x43x17cm
GW:18kg

MP89a/MP89b/MP89c/MP89d/MP89e/MP89f
This series of products are made of highly strengthened Al-alloy material. Fashionable structure, light weight, convenient, and reliable are some of their advantages. It comes handy under all kinds of circumstances, especially suitable for emergency rooms in hospitals and ambulances.



MP90a

MP90a With Wheels Outriggers
Technical Parameter:
Product size:
1880x480x210(mm)
Net weight 6kg
Gross weight 15kg
Loading bearing ≤159kg



MP90b

MP90b Simple model
Technical Parameter:
Product size:
1880x450x50(mm)
Net weight 5kg
Gross weight 12kg
Loading bearing ≤159kg




MP90c

MP90c Backboard
Technical Parameter:
Product size:
1830x450x50(mm)
Net weight 8kg
Gross weight 9kg
Loading bearing ≤159kg



MP90d

MP90d
With Wheels,Outriggers And The Backrest Is Adjustable
Technical Parameter:
Product size:
1880x530x210(mm)
Net weight 8kg
Gross weight 9kg
Loading bearing ≤159kg



MP90e

MP90e Foldable In Four Parts
Technical Parameter:
Product size:
1880x480x210(mm)
Net weight 7kg
Gross weight 16kg
Loading bearing ≤159kg




MP90f

MP90f Without Cover Bag
Technical Parameter:
Product size:
1880x480x210(mm)
Net weight 8kg
Gross weight 18kg
Loading bearing ≤159kg
Dimension of the packing box 1040x540x140(mm) 2pcs/box



MP91

MP91 Stretcher base
Stretcher base is made of stainless steel material,scoop stretcher and spine board can be deposited in the bottom.It is easy for using.
High position:204x63x17cm
Self-weight:35kg
Load bearing:220kg



MP92a







MP92b



MP92a/MP92b
This folding stretcher is made of high strength AL-alloy and Oxford material. It's portable, light weight, safe to use and occupies small space. Commonly used in hospitals, gyms, ambulances and the army to carry the sick and wounded.

MP92a Foldable In Two Parts With Carry Bag
Product size :
2060x530x140(mm)
Net weight 5kg
Gross weight 6kg
Loading bearing ≤159kg

MP92b Foldable In Four Parts With Carry Bag
Product size :
2110x530x140(mm)
Net weight 5kg
Gross weight 33kg
Loading bearing ≤159kg



MP93



MP93 DOUBLE FOLDING STRETCHER
The product is made of high-quality aluminum and polyester fabric,light weight,safe and reliable,it's safe and comfortable.
Size:205x53x13cm(open),102x17x8(folded)cm
Self weight:4.8kg
Capability:159kg
Package quantity:4pcs
Package size:105x19x37cm
GW:22kg

The nylon well ventilated noodles of the adoption import anticipates





MP94

MP94 DOUBLE FOLDING STRETCHER
The product is made of high-quality aluminum and breathable nylon fabric,light weight,safe and reliable,it's safe and comfortalbe.
Size:205x53x13cm(open),102x17x8(folded)cm
Self weight:4.8kg
Capability:159kg
Package quantity:4pcs
Package size:105x19x37cm
GW:22kg

Antiskid handle






MP95



MP95 DOUBLE FOLDING STRETCHER
The product is made of high-quality aluminum and polyester fabric,Non-slip handle,light weight,safe and reliable,it's safe and comfortalbe.
Size:205x53x13cm(open),102x17x8(folded)cm
Self weight:4.8kg
Capability:159kg
Package quantity:4pcs
Package size:105x19x37cm
GW:22kg



MP96





MP96 DOUBLE FOLDING STRETCHER
The product is made of high-quality aluminum and polyester fabric,light weight,safe and reliable,it's safe and comfortalbe.
Size:220x53x15cm(open),97x20x9(folded)cm
Self weight:7.5kg
Capability:159kg
Package quantity:3pcs
Package size:98x22x33cm
GW:26kg



MP97

MP97 SINGLE FOLDING STRETCHER
The product is made of high-quality aluminum and polyester fabric,light weight,safe and reliable,it's safe and comfortalbe.
Size:220x55x15cm(open),180x12x15(folded)cm
Self weight:7kg
Capability:159kg
Package quantity:1pcs
Package size:183x14x16cm
GW:8kg



MP98

MP98 SINGLE FOLDING STRETCHER
The product is made of high-quality aluminum and polyester fabric,light weight,safe and reliable,it's safe and comfortalbe.
Size:205x53x13cm(open),205x13x8(folded)cm
Self weight:5kg
Capability:159kg



MP99

MP99 QUARTER FOLDING STRETCHER
The product is made of high-quality aluminum and polyester fabric,light weight,safe and reliable,it's safe and comfortalbe.
Size:212x55x13cm(open),58x14x24(folded)cm
Self weight:6.5kg
Capability:159kg
Package quantity:4pcs
Package size:60x48x25cm
GW:28kg



MP100

MP100 QUARTER FOLDING STRETCHER
The product is made of high-quality aluminum and polyester fabric,light weight,safe and reliable,it's safe and comfortalbe.
Size:220x55x15cm(open),50x26x18(folded)cm
Self weight:9kg
Capability:159kg
Package quantity:1pcs
Package size:56x28x20cm
GW:10kg



MP101

MP101 QUARTER FOLDING STRETCHER
The product is made of high-quality aluminum and polyester fabric,light weight,safe and reliable,it's safe and comfortalbe.
Size:185x48x3cm(open),46x48x14(folded)cm
Self weight:4kg
Capability:159kg
Package quantity:1pcs
Package size:50x48x15cm
GW:5kg



MP102

MP102 QUARTER FOLDING STRETCHER
The product is made of high-quality aluminum and polyester fabric,light weight,safe and reliable,it's safe and comfortalbe.
Size:185x48x20cm(open),46x48x14(folded)cm
Self weight:7kg
Capability:159kg
Package quantity:1pcs
Package size:50x48x15cm
GW:8kg



MP103

MP103 FOLDING PET STRETCHER BED
Powder coated steel,Polyester fabric covered PVC,For pet hospial and pet rest
Size:56x39x16cm(open),28x39x9(folded)cm
Self weight:1.3kg
Capability:60kg
Package quantity:18pcs
Package size:85x40x55cm
GW:26kg



MP104

MP104 FOLDING STRETCHER(WITH CASTOR)
The product is made of high-quality aluminum and polyester fabric,light weight,safe and reliable,it's safe and comfortable.
Size:190x50x20cm(open),95x50x9(folded)cm
Self weight:7kg
Capability:159kg
Package quantity:2pcs
Package size:54x22x98cm
GW:15kg



MP105

MP105 FOLDING STRETCHER(WITH CASTOR)
The product is made of high-quality aluminum and polyester fabric,light weight,safe and reliable,it's safe and comfortable.
Size:190x50x20cm(open),95x50x9(folded)cm
Self weight:8kg
Capability:159kg
Package quantity:2pcs
Package size:54x22x98cm
GW:17kg



MP106

MP106 FOLDING STRETCHER(WITH CASTOR,BACK ADJUSTABLE)
The product is made of high-quality aluminum and polyester fabric,light weight,safe and reliable,it's safe and comfortable.
Size:190x50x20cm(open),95x50x9(folded)cm
Self weight:8kg
Capability:159kg
Package quantity:2pcs
Package size:54x22x98cm
GW:17kg



MP107

MP107 FOLDING STRETCHER(WITH CASTOR,BACK ADJUSTABLE,WITH I.V. POLE)
The product is made of high-quality aluminum and polyester fabric,light weight,safe and reliable,it's safe and comfortable.
Size:190x50x20cm(open),95x50x9(folded)cm
Self weight:9kg
Capability:159kg
Package quantity:2pcs
Package size:54x22x98cm
GW:19kg




MP108

MP108 FOLDING STRETCHER(WITH CASTOR,BACK ADJUSTABLE,WITH PULL ROD)
The product is made of high-quality aluminum and polyester fabric,light weight,safe and reliable,it's safe and comfortable.
Size:190x50x20cm(open),95x50x9(folded)cm
Self weight:9kg
Capability:159kg
Package quantity:2pcs
Package size:54x22x98cm
GW:19kg




MP109

MP109 FOLDING STRETCHER(WITH PULL ROD,WITH OMNI-DIRECTIONAL CASTOR)
The product is made of high-quality aluminum and polyester fabric,light weight,safe and reliable,it's safe and comfortable.
Size:190x50x20cm(open),95x50x9(folded)cm
Self weight:9kg
Capability:159kg
Package quantity:2pcs
Package size:54x22x98cm
GW:19kg



MP110

MP110 FOLDING STRETCHER
The product is made of high-quality aluminum and polyester fabric,light weight,safe and reliable,it's safe and comfortable.
Size:190x50x3cm(open),95x50x9(folded)cm
Self weight:4kg
Capability:159kg
Package quantity:2pcs
Package size:54x22x98cm
GW:19kg



MP111

MP111 FOLDING STRETCHER
The product is made of high-quality aluminum and polyester fabric,light weight,safe and reliable,it's safe and comfortable.
Size:185x50x3cm(open),92x50x7(folded)cm
Self weight:6kg
Capability:159kg
Package quantity:2pcs
Package size:96x16x54cm
GW:13kg



MP112

MP112 ARMY SOFT STRETCHER
The product is made of high-quality aluminum and polyester fabric,light weight,safe and reliable,it's safe and comfortable.
Size:220x69cm(open)
Self weight:1.2kg
Capability:159kg
Package quantity:20pcs
Package size:36x90x40cm
GW:27kg



MP113

MP113 SOFT STRETCHER
The product is made of high strong polyester fabric,light weight,safe and reliable,with a foam mattress,it's safe and comfortable.
Size:185x70cm
Self weight:1.5kg
Capability:159kg
Package quantity:10pcs
Package size:45.5x35.5x19.5cm
GW:16kg



MP114

MP114 BODY BAD
Oxford fabric covered PVC,waterproof
Size:220x90cm
Self weight:2kg
Capability:159kg
Package quantity:10pcs
Package size:48x46x27cm
GW:22kg



MP115

MP115 CAMPING BAD
The product is made of high-quality aluminum,foldable.
Size:
196x74x47(open)cm,
95x20x11(folded)cm
Self weight:6kg
Capability:159kg
Package quantity:4pcs
Package size:97x23x46cm
GW:26kg



MP116

MP116
Due to its aluminum alloy material tubes and quality design, it is appealing in appearance, light weight, antiseptic, rust proof and easy to clean. The bed cloth is made of water-resistant Oxford Fabric. It's foldable and portable. It camping bed is best for camping, emergency beds, military cot and outdoor getaways.
Product size 1840x590x420(mm)
Net weight 6kg
Gross weight 32kg
Loading bearing ≤159kg

SPINAL BOARD SERIES



MP117

MP117
It spine board is commonly used for safely transporting seriously injured and immobile patients. It can go directly into X-ray room and float on water. It's a must have in first-aid equipment for medical centers.
Made of high strength engineering plastics, this spine board is enduring, anti-aging, weight loading and easy for storage.
Product size 1830x450x50(mm)
Net weight 8kg
Gross weight 9kg
Loading bearing ≤159kg





MP118a MP118b MP118c



MP119a MP119b



MP118a/MP118b/MP118c Back Boards

Model	Unfolded Size	Self-weight	Load Bearing
MP118a	184×45×7cm	7.5kg	159kg
MP118b	184×45×7cm	7.5Gkg	159kg
MP118c(child)	184×45×5cm	4kg	79kg

1.eeomm back boaed adopt HDPE material with no contaminator, and firmness to Wear,it allow X-ray;
2 The stretcher with safety belts:
3 it used with head immobile at the same time:
4. C is applied to child.

MP119a/MP119b Back Boards

Model	Unfolded Size	Self-weight	Load Bearing
MP119a	184×46×5cm	7.5kg	159kg
MP119b	184×46×5cm	7.5Gkg	159kg

1.eeomm back boaed adopt HDPE material with no contaminator, and firmness to Wear,it allow X-ray;
2 The stretcher with safety belts:
3 it used with head immobile at the same time:

BASKET STRETCHER SERIES



MP120





MP120 Basket Stretcher

Model	Unfolded Size	Folded Size	Self-weight	Load Bearing
MP120	219×64×18cm	--	16kg	272kg

1.eeomm back stretcher is quick reliable fittings enable first aid personnel to operate rapidly and safely;
2.With its special sling equipment,the stretcher is ideal for lifting and transport by Helicopter;
3.it has an adjustable feet-securing mechanism, safety belts and a mattress. It's also designed for to be secured inside the helicopter;
4 All the HDPE materials used have dimensions suitable to work and they are fire-proof,they do not release any toxic or polluting substance and they are protected to obtain high resistance to wear and corrosion







MP121 Basket Stretcher

Model	Unfolded Size	Folded Size	Self-weight	Load Bearing
MP121	219×64×18cm	130×67×29cm	20kg	272kg

1.eeomm back stretcher is quick reliable fittings enable first aid personnel to operate rapidly and safely;
2.With its special sling equipment,the stretcher is ideal for lifting and transport by Helicopter;
3.it has an adjustable feet-securing mechanism, safety belts and a mattress. It's also designed for to be secured inside the helicopter;
4 All the HDPE materials used have dimensions suitable to work and they are fire-proof,they do not release any toxic or polluting substance and they are protected to obtain high resistance to wear and corrosion
5.You can split it into two parts making it compact and easy to transport





MP122 Body Splint
Unfolded Size: 82×80cm
Self-weight:2.5kg
eeomm body splint provides both immobilization and comfort with a built-in plywood spine board along the back It is applied to rib injured;Three color-coded body straps with quick-clip;When used in conjunction with a cervical collar, it provides immobilization in a sitting poition until patient can be transferred to a long spine board, comes complete with two reusable, plastic-coated,head/chin straps,neck pad and durable carrying case.





MP123a/MP123b Traction splint set

Model	Stretch Size	Normal Size	Self-weight	Load Bearing
MP123a	136×22 ×18CM	90×22×18	2kg	--(adult)
MP123b	118×18×17CM	80×18×17CM	1.8kg	--(child)

eeomm traction splint set relieve the tissue pressure on fractured leg by means of traction applied thus avoids thus avoids further hemorrhages,shock and secondary nervous, vascular,bone and muscular damages;
Length adjusted aluminum body darable nylon leg straps automatic traction mechanism;
Set of adult and pediatric sizes together with the caeey bag.





MP124a Adult Head Immobilize
Stretch Size: 42×26 ×18CM Self-weight : 1kg
eeomm adult head immobilize is made of high-density plastic materials,large ear holes for monitoring the patient's ear canal;It can be used with scoop stretcher and spine board at the same time;Minimal interference with X-ray,MRI,or CT scanning procedures;Waterproof plastic coating makes it easy to clean and prevents bacterial Growth on it.





MP124b Child Head Immobilize

Model	Stretch Size	Normal Size	Self-weight	Load Bearing
MP125	34×26 ×14CM	--	0.4kg	--

technical features
eeomm child head immobilize is made of high-density plastic materials,large ear holes for monitoring the patient's ear canal;
It can be used with scoop stretcher and spine board at the same time;Minimal interference with X-ray,MRI,or CT scanning procedures;Waterproof plastic coating makes it easy to clean and prevents bacterial growth on it.



MP125 Basket stretchers
Basket stretcher is made of stainless steel material,its quick reliable fittings enable first-aid person to operate it rapidly and safely.
With its special sling equipment,the stretcher is ideal for lifted and transported by helicopter.
It can an adjustable feet-securing mechanism,two safety belts and a mattress.
It can be used together with the spine boards.
Unfolded size:220x62x19cm
Self-weight:17kg,Loadbearing:408kg

MASSAGE TABLE SERIES



MP126

MP126
Wooden portable massage table
with adjustable headrest, side armrests
arm support ,face hole and a plug
Size of the table: 1950x700x650--850mm
Foam thickness:4cm,PVC leather
G.W.:22KGS,N.W.:19KGS
Each table with a nylon carrying bag



MP127

MP127
Wooden portable massage table
with plastic adjustable headrest
side armrests, arm support
Simple size adjustable backrest
size of the table: 1950x700x650--850mm
G.W.:22KGS,N.W.:19KGS
PVC Leather,Foam in 4cm thickness
Each table with a nylon carrying bag



MP128

MP128
Metal portable massage table in two sections
with fix headrest, side armrests armsling
Face hole and a plug
size of the table:1850x660x770mm
Form thickness:4cm,PVC leather
Working Load:400lbs
N.W.:16KGS,G.W.:20KGS



MP129

MP129
Metal portable massage table in 3 sections
With fix headrest, side armrests, adjustable backrest
Face hole and a plug
Adjustable height from 66 to 77cm
Size of the table:1850x660x770mm
Foam thickness :4cm,PVC leather
Working Load:400lbs
N.W.:19KGS,G.W.:23KGS



MP130

MP130
ALUMINUM ALLOY MASSAGE TABLE
Dimension: L186CM*W68CM
Adjustable Height 59-81CM
Net weight: 13KG
Gross weight: 15.3KG



MP131

MP131
Description: wooden legs with metal frame portable massage table in 2 sections
With plastic adjustable heardrest, armsling, side armrests, ace hole and a plug. Round corner.
Size/table:1950x700x680-850cm



MP132

MP132
Wooden portable massage table in 3 sections
with adjustable headrest, side armrests, adjustable backrest
Size/table:1950x700x640--850mm
Material: foam thickness in 4cm,
NEW MODEL WITH ROUND END
Net weight: 18KG
Gross weight: 21KG



MP133

MP133
Wooden portable massage table with fix headrest,armrests
Armsupport, face hole and a plug.
Size of the table:195x70x68 -85cm
Leather:PVC in several optional colors
With 4cm high density foam.



MP134

MP134
Wood massage table with side armrests and adjustable headrest
Mater of wood: Beech wood
Without boulster
Size of the table:185x70x68-85cm


MP135


MP136


MP137

MP135
Wooden portable massage chair
Size:123x53x80cm
G.W.:11.5KGS
N.W.:10KGS

MP136
Metal portable massage chair
Headrest, chestrest, seat, armrest adjustable
Foam thichess:4cm ,PVC Leather
N.W.:7KGS,G.W.:10KGS
Each chair with a nylon carrying bag

MP137
Metal portable massage chair
Size:118x90x56cm
Net weight: 12KG
Gross weight: 15.5KG

MEDICAL TROLLEY SERIES


MP138


MP139

MP139 ANESTHESIA TROLLEY
ABS plastic tabletop and handle.
Aluminum alloy stands.
Include ten transparent plastic boxes in the upper part,and one 18-units lable box.
Nylon guide rails and self-lockable drawers,all made from moulds.
The upper three drawers with height of 80mm,with small grids inside.
The lower three drawers with height of 160mm.
Step-on trash bucket(madeof mould,with rack for one or two plastic bags inside)on the right,preventing crossinfection.
A few boxes and one plastic basket for storing on the left.
Working table:600x450x1015mm
Overall dimension:775x635x1590mm
Package dimension:875x735x1760mm
Package:plywood case
Net weight:80kg



MP138
MOBILE DOCTOR WORKSTATION (SEPARATE PC)
Match with HIS/EMR/PACS.
Wireless communication.
Aluminum alloy frame.
Aluminum alloy tabletop.
Retractable platform for keyboard.
Included a mouse and a mouse holder.
Height of tabletop is adjustable from 885mm to 1115mm.
Mobile power system and PC are optional.
Working table:520x420x885mm
Overall dimension:
530x475x1250mm
Package dimension:
630x575x1350mm
Package:plywood case
Net weight:50kg


MP140

MP140 MOBILE NURSE WORKSTATION(SEPARATE PC)
ABS plastic tabletop and handle.
Aluminum alloy stands.
Detachable holder for bottles on the shelve.
Nylon guide rails and self lockable drawers,all made from moulds.
One shelve for key=board on the first storey.
Two drawers(80mm) for medicine with small bins inside,height of drawer 80mm/160mm/240mm is optional.
One big drawer with height of 160mm.
Double-sides drawers in the lower part with lock,large/middle/small tray for optional.
Detachable plastic basin for storing in the bottom.
Holder for sharps container,step-on trash bucket(made of mould,with rack for one or two plastic bags inside) on the right,preventing cross-infection.
A few boxes for storing on the left.
LCD holder fixed on the back with battery monitor;separate PC is optional.
Phosphate-based lithium-ion battery is fixed on the bottom base(optional).
Working table:600x450x985mm
Overall dimension:1050x635x1350mm
Package dimension:1150x735x1500mm
Package:plywood case
Net weight:68kg





MP141



MP142



MP143







MP141 EMERGENCY TROLLEY
Artificial marble tabletop.
Auxiliary board:300x410mm
Four drawers with height of 100/100/200/300mm.
Oxygen holder on the right(Maximum height for oxygen bottle:570mm)
Defibrillator board fixed on the back: 560x470x15mm
Include a I.V. pole.
Two trash bins.
Working table:605x410x940mm
Overall dimension:810x490x1010mm
Package dimension:876x551x1167mm
Package:plywood case
Net weight:60kg

MP142 TREATMENT TROLLEY
Streamline design.
Steel frame and plastic handle.
Holder for bottles on the tabletop.
GRASS guide rail from Austria,self closed,no noise.
Steel shelve in the middle with raised edges and fence.
Buckets can be rotated.
Working table:480x450x810mm
Overall dimension:710x620x990mm
Package dimension:810x720x1160mm
Package:plywood case
Net weight:30kg

MP143 TREATMENT TROLLEY
ABS plastic tabletop and handle.
Aluminum alloy stands.
Nylon guide rails and self lockable drawer.
One big drawer with height of 160mm,with small grids inside.
One steel shelve in the middle with guardrail around.
Detachable container for storing in the bottom.
Holder for sharps container;Two plastic trash buckets on the right.
A few boxes for storing on the left.
Working table:600x450x840mm
Overall dimension:775x635x910mm
Package dimension:875x735x1080mm
Package:plywood case
Net weight:40kg



MP144

MP144 MEDICINE TROLLEY
ABS plastic tabletop and handle.
Aluminum alloy stands.
Nylon guide rails and self lockable drawer.
Two drawers for medicine with small bins inside,height of darwers 80mm.
Three double-sides drawers in the lower part with lock,large/middle/small tray for optional.
The lower two drawers for large articles with height of 160mm.
Step-on trash bucket(made of mould,with rack for two plastic bags inside)on the right,preventing cross-infection.
One steel basket for storing on the right.
A box with grids for storing on the left.
Working table:606x450x1015mm
Overall dimension:775x635x1080mm
Package dimension:875x735x1250mm
Package:plywood case
Net weight:70kg







MP145

MP145 I.V. TROLLEY
ABS plastic frame.
ABS plastic tabletop.
Two sliding board(370x350mm) at two sides beneath the tabletop.
One drawer beneath tabletop,fences for lower boards.
Working table:746x526x843mm
Overall dimension:820x595x1488mm
Package dimension:920x695x1068mm
Package:plywood case
Net weight:39kg



MP146

MP146 DIRT TROLLEY
Steel frame with powder coated finish.
ABS plastic lid and canvas bag,easy to change.
Operatre with foot,air spring used to avoid crashing.
Overall dimension:590x428x872mm(single), 808x590x872mm(double)
Package dimension:640x478x942mm(single), 858x640x942mm(double)
Package:Plywood case
Net weight:9kg/14kg



MP147

MP147 MEDICAL RECORD TROLLEY
Aluminum alloy framework and plastic drawers.
CHEMSURF tabletop:750x470mm
42 layers of records with side lock.
Number of layers and color are optional.
Overall dimension:880x520x1102mm
Package dimension:980x620x1272mm
Package:plywood case
Net weight:57.5kg



MP148

Hospital trolley 650x400x950mm



MP149

Hospital trolley 600x470x800mm



MP150

Hospital trolley 600x470x800mm



MP151

Hospital trolley 670x470x800mm



MP152

MP152 BEDSIDE CABINET
Artificial marble tabletop:540x440mm
Cold rolling steel frame with powder coated finish.
Sliding board:360x470mm
Drawer:446x358mm inside and 94mm high.
Overall dimension:642x440x800mm
Package dimension:692x490x870mm
Package:plywood case
Net weight:36kg



MP153

MP153
BEDSIDE CABINET
Size:45×47×78cm
ABS material



MP154

MP154 Medical Stool
Technical Parameter:
Product size:
500x700(mm)
Net weight 5kg
Gross weight 6kg



MP155

Hospital trolley 800x600x900mm



MP156

Hospital trolley Φ600x900mm

OVERBED TABLE SERIES



MP157a

MP157a Overtable



MP157b

MP157b Overtable
It is no handle for going up and down



MP157c

MP157c Overtable
It use air pressure to going up and dowm

INSTRUMENT CABINET SERIES



MP158

Hospital cabinet
960x400x1850mm



MP159

Hospital cabinet
900x250/400x1850mm



MP160

Hospital cabinet for drug storage
900x400x1850mm



MP161

Hospital cabinet for drug storage
900x250/400x1850mm

FOLDING SCREEN



MP162

MP162 Material:stailess steel 500x1800mm

I.V. STAND SERIES



MP163a MP163b MP163c MP163d

MP163a/MP163b/MP163c/MP163d Dripstand
MP163a vertical lift range 1400-2400mm, chroming-plating stand and powder-coated base with 2" wheel
MP163b vertical lift range 1400-2400mm, chroming-plating stand and plastic base with 2" wheel
MP163c vertical lift range 1400-2400mm, chroming-plating stand and base with 2" wheel
MP163d vertical lift range 1400-2400mm, chroming-plating stand and base with 2" wheel

DENTAL TREAT SERIES



MP164



MP165

MP164
Standard Configuration and Characteristics:
180°rotatable and easy cleaning tempered glass spittoon
Computer controlled noiseless low voltage direct current motor
Potable water supply and flushing spittoon automatic control system
Computer control system with 3 memory set
Partially automatic adjusting cushion
Built-in purifying water system
Luxury oral cavity cold light lamp
Instrument tray with Pneumatic brake
Built-in water heater system
LED film viewer
Strong/ weak suction
3 way syringe (hot / cold each)
Luxury foot switch
Dentist stool one piece
Imported or China original 4 hole high speed turbine handpiece
Imported or China original 4 hole low speed turbine handpiece
Oral cavity endoscope system,Air prophy
LED curing light
Computer controlled over-pull instrument tray
180°rotatable ceramic spittoon
Technology parameters
Input power: 220V±10V 50Hz
Water pressure: 0.2-0.4Mpa,Air pressure:0.5-0.6Mpa
Total gross weight:260kg

MP165
Standard configuration
Computer controlled noiseless low voltage DC motor
High precise electromagnetic valve
3-way syringe with water hater system
Mouthwash water automatic control system
Anti-drop instrument holder
Strong/weak suction
Oral cavity shadowless cold light lamp
Low voltage film viewer
Built-in purifying water system
Easy clean tempered glass spittoon
Foot switch
Dentist stool
For Options
Imported or china original 4 holes high speed turbine handpiece
Imported or china original 4 holes low speed turbine handpiece
Oral camera
Ultrasonic scaler
LED curing light
Safety protection function
Technology Parameters
Imput power:220±10V 50HZ
Water pressure:0.2-0.4Mpa
Air pressure:0.5-0.6Mpa
G-weight:220kg

HOSPITAL & HOMECARE I/E. CO., LTD.NANJING CHINA
HOSPITAL & HOMECARE MEDICAL DEVICE CO.,LTD.CHINA

EMAIL:
am@aline-medical.com
info@aline-medical.com
www.aline-medical.com
www.hospital-homecare.com
TEL:025-84573232/84577222
FAX:025-84577220/84577200
ADDRESS:Room 608-611,NO.5 Zhongtai International Plaza,
NO.311 Middle of Jiangdong Road,Central Business District,Nanjing, China
P.C:210019
中泰国际广场5栋608-611室，南京市江东中路311号